

Stuart Cook
Director Transmission
Ofgem
9 Millbank
London
SW1P 3GE

Nigel Fox
Charging and Revenue Manager

nigel.fox@uk.ngrid.com
Direct tel +44 (0)1926 656823

www.nationalgrid.com

1 May 2009

Dear Stuart,

Notice of NTS Exit Capacity Charges ahead of the 2009 Application window for Enduring Annual NTS Exit (Flat) Capacity

The Uniform Network Code (UNC) requires that annual application windows for Enduring Annual NTS Exit (Flat) Capacity be held every July. Consistent with industry practice, National Grid NTS is giving two months notice of the Indicative NTS Exit Capacity Charges ahead of the July application window. The charges relate to the first capacity year of Enduring Annual NTS Exit (Flat) Capacity, 2012/13.

Please note that the charges attached along with this note are indicative. Actual charges will be based on the prevailing Exit Capacity Charges for 2012/13 as stated in the Transportation Statement, 1st October 2012, which will be published with 2 months notice.

The Expansion Constant used to set charges for the July 2009 application window equals £2437/GWhkm. This will remain fixed for the actual Exit Capacity year 2012/13. Other inputs to the model are subject to variation.

For further information on how these charges were calculated please refer to the [Statement of Gas Transmission Charging Methodology](#).

It is our attention to send out the Transportation Model used to create the attached charges to registered users. This will allow you to familiarise yourself with how potential variations in inputs to the model may affect actual charges.

For further information on how to receive the Transportation Model please refer to: <http://www.nationalgrid.com/uk/Gas/Charges/Tools/>

If you have any questions about this Notice please contact myself or Damian Clough on 01926 656416 or email Damian.Clough@uk.ngrid.com.

Yours sincerely,

Nigel Fox
Charging and Revenue Manager
UK Transmission – Commercial

NTS Exit Capacity Prices for 2012/13 as of July 2009

Offtake Point	Type of Offtake	Indicative Exit Capacity Charge p/pdkWh/day
Bacton	GDN (EA)	0.0001
Brisley	GDN (EA)	0.0001
Cambridge	GDN (EA)	0.0069
Great Wilbraham	GDN (EA)	0.0050
Matching Green	GDN (EA)	0.0100
Peterborough Eye (Tee)	GDN (EA)	0.0050
Roudham Heath	GDN (EA)	0.0013
Royston	GDN (EA)	0.0068
Whitwell	GDN (EA)	0.0088
West Winch	GDN (EA)	0.0020
Yelverton	GDN (EA)	0.0001
Alrewas (EM)	GDN (EM)	0.0128
Blaby	GDN (EM)	0.0093
Blyborough	GDN (EM)	0.0013
Caldecott	GDN (EM)	0.0069
Thornton Curtis (DN)	GDN (EM)	0.0001
Drointon	GDN (EM)	0.0139
Gosberton	GDN (EM)	0.0024
Kirkstead	GDN (EM)	0.0003
Market Harborough	GDN (EM)	0.0080
Silk Willoughby	GDN (EM)	0.0016
Sutton Bridge	GDN (EM)	0.0037
Tur Langton	GDN (EM)	0.0082
Walesby	GDN (EM)	0.0001
Asselby	GDN (NE)	0.0001
Baldersby	GDN (NE)	0.0039
Burley Bank	GDN (NE)	0.0032
Ganstead	GDN (NE)	0.0001
Pannal	GDN (NE)	0.0027
Paull	GDN (NE)	0.0001
Pickering	GDN (NE)	0.0001
Rawcliffe	GDN (NE)	0.0001
Towton	GDN (NE)	0.0010

Offtake Point	Type of Offtake	Indicative Exit Capacity Charge p/pdkWh/day
Bishop Auckland	GDN (NO)	0.0034
Coldstream	GDN (NO)	0.0001
Corbridge	GDN (NO)	0.0001
Cowpen Bewley	GDN (NO)	0.0033
Elton	GDN (NO)	0.0021
Guyzance	GDN (NO)	0.0001
Humbleton	GDN (NO)	0.0001
Keld	GDN (NO)	0.0055
Little Burdon	GDN (NO)	0.0026
Melkinthorpe	GDN (NO)	0.0048
Saltwick Pressure Controlled	GDN (NO)	0.0001
Saltwick Volumetric Controlled	GDN (NO)	0.0001
Thrintoft	GDN (NO)	0.0042
Towlaw	GDN (NO)	0.0054
Wetheral	GDN (NO)	0.0023
Horndon	GDN (NT)	0.0095
Luxborough Lane	GDN (NT)	0.0097
Peters Green	GDN (NT)	0.0092
Peters Green South Mimms	GDN (NT)	0.0092
Winkfield (NT)	GDN (NT)	0.0179
Audley (NW)	GDN (NW)	0.0174
Blackrod	GDN (NW)	0.0139
Ecclestone	GDN (NW)	0.0194
Holmes Chapel	GDN (NW)	0.0180
Lupton	GDN (NW)	0.0081
Malpas	GDN (NW)	0.0193
Mickle Trafford	GDN (NW)	0.0187
Partington	GDN (NW)	0.0163
Samlesbury	GDN (NW)	0.0125
Warburton	GDN (NW)	0.0164
Weston Point	GDN (NW)	0.0197
Aberdeen	GDN (SC)	0.0001
Armadale	GDN (SC)	0.0001
Balgray	GDN (SC)	0.0001
Bathgate	GDN (SC)	0.0001

Offtake Point	Type of Offtake	Indicative Exit Capacity Charge p/pdkWh/day
Broxburn	GDN (SC)	0.0001
Careston	GDN (SC)	0.0001
Drum	GDN (SC)	0.0001
St Fergus	GDN (SC)	0.0001
Glenmavis	GDN (SC)	0.0001
Hume	GDN (SC)	0.0001
Kinknockie	GDN (SC)	0.0001
Langholm	GDN (SC)	0.0001
Lauderhill	GDN (SC)	0.0001
Lockerbie	GDN (SC)	0.0001
Netherhowcleugh	GDN (SC)	0.0001
Pitcairngreen	GDN (SC)	0.0001
Soutra	GDN (SC)	0.0001
Stranraer	GDN (SC)	0.0001
Mosside	GDN (SC)	0.0001
Farningham	GDN (SE)	0.0115
Farningham B	GDN (SE)	0.0115
Shorne	GDN (SE)	0.0105
Tatsfield	GDN (SE)	0.0132
Winkfield (SE)	GDN (SE)	0.0179
Braishfield A	GDN (SO)	0.0214
Braishfield B	GDN (SO)	0.0214
Crawley Down	GDN (SO)	0.0202
Hardwick	GDN (SO)	0.0126
Ipsden	GDN (SO)	0.0159
Ipsden 2	GDN (SO)	0.0159
Mappowder	GDN (SO)	0.0216
Winkfield (SO)	GDN (SO)	0.0179
Aylesbeare	GDN (SW)	0.0280
Cirencester	GDN (SW)	0.0174
Coffinswell	GDN (SW)	0.0306
Easton Grey	GDN (SW)	0.0179
Evesham	GDN (SW)	0.0138
Fiddington	GDN (SW)	0.0131
Ilchester	GDN (SW)	0.0237

Offtake Point	Type of Offtake	Indicative Exit Capacity Charge p/pdkWh/day
Kenn	GDN (SW)	0.0291
Littleton Drew	GDN (SW)	0.0187
Lyneham (Choakford)	GDN (SW)	0.0333
Pucklechurch	GDN (SW)	0.0196
Ross (SW)	GDN (SW)	0.0104
Seabank (DN)	GDN (SW)	0.0180
Alrewas (WM)	GDN (WM)	0.0128
Aspley	GDN (WM)	0.0158
Audley (WM)	GDN (WM)	0.0174
Austrey	GDN (WM)	0.0121
Leamington	GDN (WM)	0.0113
Lower Quinton	GDN (WM)	0.0132
Milwich	GDN (WM)	0.0145
Ross (WM)	GDN (WM)	0.0104
Rugby	GDN (WM)	0.0102
Shustoke	GDN (WM)	0.0132
Stratford-upon-Avon	GDN (WM)	0.0126
Maelor	GDN (WN)	0.0201
Dowlais	GDN (WS)	0.0063
Dyffryn Clydach	GDN (WS)	0.0042
Gilwern	GDN (WS)	0.0074
Abernedd Power Station	DC	0.0039
Abson (Seabank Power Station phase I)	DC - FIRM	0.0196
Bacton (Great Yarmouth)	DC - FIRM	0.0001
Barking (Horndon)	DC - INTERRUPTIBLE	0.0095
Barrow (Black Start)	DC	0.0046
Billingham ICI (Terra Billingham)	DC - FIRM	0.0035
Bishop Auckland (test facility)	DC	0.0034
Blackness (BP Grangemouth)	DC - FIRM	0.0001
Blyborough (Brigg)	DC - INTERRUPTIBLE	0.0023
Blyborough (Cottam)	DC - INTERRUPTIBLE	0.0013
Brine Field (Teesside) Power Station	DC	0.0028

Offtake Point	Type of Offtake	Indicative Exit Capacity Charge p/pdkWh/day
Burton Point (Connahs Quay)	DC - INTERRUPTIBLE	0.0199
Caldecott (Corby Power Station)	DC - FIRM	0.0073
Carrington (Partington) Power Station	DC	0.0163
Centrax Industrial	DC	0.0303
Coryton 2 (Thames Haven) Power Station	DC	0.0098
Deeside	DC - FIRM	0.0196
Didcot A	DC - INTERRUPTIBLE	0.0162
Didcot B	DC - FIRM	0.0162
Drakelow Power Station	DC	0.0123
Eastoft (Keadby Blackstart)	DC - INTERRUPTIBLE	0.0005
Eastoft (Keadby)	DC - FIRM	0.0005
Enron Billingham	DC - INTERRUPTIBLE	0.0035
Epping Green (Enfield Energy, aka Brimsdown)	DC - FIRM	0.0109
Ferny Knoll (AM Paper)	DC - FIRM	0.0140
Goole (Guardian Glass)	DC - FIRM	0.0001
Gowkhall (Longannet)	DC - FIRM	0.0001
Grain Power Station	DC	0.0092
Harwarden (Shotton, aka Shotton Paper)	DC - FIRM	0.0199
Hollingsgreen (Hays Chemicals)	DC - INTERRUPTIBLE	0.0164
Langage Power Station	DC	0.0333
Marchwood Power Station	DC	0.0216
Medway (aka Isle of Grain Power Station, NOT Grain Power)	DC - INTERRUPTIBLE	0.0093
Middle Stoke (Damhead Creek, aka Kingsnorth Power Station)	DC - FIRM	0.0092
Moffat (Irish Interconnector)	INTERCONNECTOR - FIRM, EXIT ONLY	0.0001
Pembroke Power Station	DC	0.0001
Peterborough (Peterborough Power Station)	DC - INTERRUPTIBLE	0.0053

Offtake Point	Type of Offtake	Indicative Exit Capacity Charge p/pdkWh/day
Phillips Petroleum, Teeside	DC	0.0028
Pickmere (Winnington Power, aka Brunner Mond)	DC - FIRM	0.0165
Roosecote (Roosecote Power Station)	DC - INTERRUPTIBLE	0.0047
Rosehill (Saltend Power Station)	DC - FIRM	0.0001
Ryehouse	DC - FIRM	0.0114
Saddle Bow (Kings Lynn)	DC - FIRM	0.0023
Saltend BPHP (BP Saltend HP)	DC - FIRM	0.0001
Sandy Lane (Blackburn CHP, aka Sappi Paper Mill)	DC - FIRM	0.0129
Seabank (Seabank Power Station phase II)	DC - FIRM	0.0178
Sellafield Power Station	DC - INTERRUPTIBLE	0.0086
Shellstar (aka Kemira, not Kemira CHP)	DC	0.0193
Spalding 2 (South Holland) Power Station	DC	0.0027
Shotwick (Bridgewater Paper)	DC - FIRM	0.0196
St. Fergus (Shell Blackstart)	DC	0.0001
St. Fergus (Peterhead)	DC - FIRM	0.0001
St. Neots (Little Barford)	DC - FIRM	0.0088
Stallingborough (phase 2)	DC - FIRM	0.0001
Stallingborough (phase 1)	DC - FIRM	0.0001
Stanford Le Hope (Coryton)	DC - FIRM	0.0098
Staythorpe PH1	DC - FIRM	0.0043
Staythorpe PH2	DC - FIRM	0.0043
Sutton Bridge Power Station	DC - FIRM	0.0037
Teesside (BASF, aka BASF Teesside)	DC - FIRM	0.0029
Teesside Hydrogen	DC - FIRM	0.0029
Terra Nitrogen (aka ICI, Terra Severnside)	DC - FIRM	0.0179
Thornton Curtis (Humber Refinery, aka Immingham)	DC - FIRM	0.0001
Thornton Curtis (Killingholme)	DC	0.0001
Tonna (Baglan Bay)	DC - FIRM	0.0039

Offtake Point	Type of Offtake	Indicative Exit Capacity Charge p/pdkWh/day
Upper Neeston (Milford Haven Refinery)	DC	0.0001
West Burton Power Station	DC	0.0013
Weston Point (Castner Kelner, aka ICI Runcorn)	DC - FIRM	0.0197
Weston Point (Rocksavage)	DC - FIRM	0.0197
Wragg Marsh (Spalding)	DC - FIRM	0.0027
Wyre Power Station	DC	0.0117
Zeneca (ICI Avecia, aka 'Zenica')	DC - FIRM	0.0035
Bacton (Baird)	STORAGE SITE	0.0001
Barrow (Bains)	STORAGE SITE	0.0046
Barrow (Gateway)	STORAGE SITE	0.0046
Caythorpe	STORAGE SITE	0.0001
Hatfield Moor Max Refill	STORAGE SITE	0.0001
Holford	STORAGE SITE	0.0158
Hole House Max Refill	STORAGE SITE	0.0166
Partington Max Refill	STORAGE SITE	0.0162
Stublach (Cheshire)	STORAGE SITE	0.0158
Glenmavis Max Refill	STORAGE SITE	0.0001
Barton Stacey Max Refill (Humbly Grove)	STORAGE SITE	0.0199
Avonmouth Max Refill	STORAGE SITE	0.0178
Dynevor Max Refill	STORAGE SITE	0.0057
Garton Max Refill (Aldbrough)	STORAGE SITE	0.0001
Hornsea Max Refill	STORAGE SITE	0.0001
Rough Max Refill	STORAGE SITE	0.0001
Bacton (IUK)	INTERCONNECTOR	0.0001
Bacton (BBL)	INTERCONNECTOR	0.0001