

## Modification 006 – API Sample File

```
<?xml version="1.0" encoding="UTF-8" ?>
- <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <ReportName xsi:type="xsd:string" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
    instance">Instantaneous Flow Report</ReportName>
  <PublishedTime xsi:type="xsd:dateTime" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
    instance">2005-10-30T02:23:05.000Z</PublishedTime>
- <EDPReportPage xsi:type="ns1:EDPReportPageBE"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:ns1="http://www.NationalGrid.com/EDP/BusinessEntities/Public">
  <PageName xsi:type="xsd:string">page1</PageName>
  <CurrentGasDay xsi:type="xsd:dateTime">2005-10-29T00:00:00.000Z</CurrentGasDay>
- <EDPEnergyGraphTableCollection soapenc:arrayType="ns1:EDPEnergyGraphTableBE[3]"
  xsi:type="soapenc:Array" xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/">
- <ns1:EDPEnergyGraphTableBE xsi:type="ns1:EDPEnergyGraphTableBE">
  <EDPEnergyGraphTableName xsi:type="xsd:string">table1</EDPEnergyGraphTableName>
  <ItemPosition xsi:type="xsd:int">1</ItemPosition>
- <EDPObjectCollection soapenc:arrayType="ns1:EDPObjectBE[24]" xsi:type="soapenc:Array">
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Avonmouth LNG</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.2314</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.23197</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.23197</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.23197</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.23197</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.23197</FlowRate>
```

```

<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
  </EnergyDataList>
  </ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Bacton Amoco</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">5.56603</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">5.55917</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">5.55917</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">5.55917</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">5.55917</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">5.55917</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
  </EnergyDataList>
  </ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Bacton Interconnector</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>

```

```

<FlowRate xsi:type="xsd:double">0.1</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.1</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.1</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.1</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.1</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.1</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
  </EnergyDataList>
  </ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Bacton Others</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">32.26106</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">32.37086</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">

```

```
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">32.37086</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">32.37086</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">32.37086</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">32.37086</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
<EDPObjectName xsi:type="xsd:string">Bacton Shell</EDPObjectName>
<EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
<EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">10.26436</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">10.17968</FlowRate>
<QualityIndicator xsi:type="xsd:string" />
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">10.17968</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">10.17968</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
```

```
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">10.17968</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">10.17968</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Barrow Sub Terminal</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
```

```

    </ns1:EDPEnergyDataBE>
  </EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Beltoft Storage</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">DynevorArmsLNG</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.26175</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />

```

```

<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.2627</FlowRate>
<QualityIndicator xsi:type="xsd:string" />
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.2627</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.2627</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.2627</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.2627</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
<EDPObjectName xsi:type="xsd:string">EsngtnAmethyst ST</EDPObjectName>
<EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
<EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">2.5295</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">2.49104</FlowRate>
<QualityIndicator xsi:type="xsd:string" />
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">2.49104</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>

```

```
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.49104</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.49104</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.49104</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">EsngntBPDmlgtn ST</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">9.52788</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">9.52788</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">9.52788</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">9.52788</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">9.52788</FlowRate>
```



```

<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">9.52788</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">EsngtnBPWstSol ST</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.92703</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.95297</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.95297</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.95297</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.95297</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">2.95297</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>

```

```

- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">GlenmavisLNG</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.03869</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.03869</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.03869</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.03869</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.03869</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.03869</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">HoleHousFmStor</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">

```

```

<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.0</FlowRate>
<QualityIndicator xsi:type="xsd:string" />
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.0</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.0</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.0</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.0</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
<EDPObjectName xsi:type="xsd:string">HornseaStor</EDPObjectName>
<EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
<EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.0</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.0</FlowRate>
<QualityIndicator xsi:type="xsd:string" />
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">0.0</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>

```

```

- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Humbly Grove Storage</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>

```

```

    </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Isle of Grain</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.41409</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.41429</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.41429</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.41429</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.41429</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.41429</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">PartingtonLNG</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />

```

```

<EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.01</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.01</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.01</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.01</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.01</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.01</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Rough Storage</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />

```

```

<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">0.0</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">St Fergus Mobil ST</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">38.77743</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">38.77743</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">38.77743</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">38.77743</FlowRate>

```

```

<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">38.77743</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">38.77743</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">St Fergus ShBrnt ST</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">20.92593</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">20.92593</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">20.92593</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">20.92593</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">20.92593</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>

```



```

<FlowRate xsi:type="xsd:double">20.92593</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">St Fergus Tom ST</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">43.26987</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">43.12925</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">43.12925</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">43.12925</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">43.12925</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">43.12925</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Teesside Amoco ST</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">

```

```

<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">14.6027</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.6027</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.6027</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.6027</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.6027</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.6027</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
  </EnergyDataList>
  </ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Teesside Enron ST</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">12.52724</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">12.52724</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>

```

```

- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">12.52724</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">12.52724</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">12.52724</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">12.52724</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Theddlethorpe Sub Terminal</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.2012</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>

```

```

    </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
  </EnergyDataList>
  </ns1:EDPObjectBE>
  </EDPObjectCollection>
  <Description xsi:type="xsd:string">Zone Supply</Description>
  </ns1:EDPEnergyGraphTableBE>
- <ns1:EDPEnergyGraphTableBE xsi:type="ns1:EDPEnergyGraphTableBE">
  <EDPEnergyGraphTableName xsi:type="xsd:string">table2</EDPEnergyGraphTableName>
  <ItemPosition xsi:type="xsd:int">2</ItemPosition>
- <EDPObjectCollection soapenc:arrayType="ns1:EDPObjectBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Bacton Terminal</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">48.19146</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">48.2097</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">48.2097</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">48.2097</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">48.2097</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />

```

```

<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">48.2097</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Barrow Terminal</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">6.43721</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Easington Terminal</EDPObjectName>

```

```
<EDPObjType xsi:type="xsd:string" xsi:nil="true" />
<EDPObjID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.98441</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.97189</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.97189</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.97189</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.97189</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">14.97189</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjBE>
- <ns1:EDPObjBE xsi:type="ns1:EDPObjBE">
  <EDPObjName xsi:type="xsd:string">St Fergus Terminal</EDPObjName>
  <EDPObjType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">102.97323</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">102.83261</FlowRate>
```

```

<QualityIndicator xsi:type="xsd:string" />
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">102.83261</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">102.83261</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">102.83261</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">102.83261</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Teeside Terminal</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">27.12994</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">27.12994</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">27.12994</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
</ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>

```

```

<FlowRate xsi:type="xsd:double">27.12994</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">27.12994</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">27.12994</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
</EnergyDataList>
</ns1:EDPObjectBE>
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Theddlethorpe Terminal</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.2012</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">23.45697</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">

```



```

<ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
<FlowRate xsi:type="xsd:double">23.45697</FlowRate>
<QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
<AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
<ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
  </EnergyDataList>
  </ns1:EDPObjectBE>
  </EDPObjectCollection>
<Description xsi:type="xsd:string">Terminal Supply</Description>
  </ns1:EDPEnergyGraphTableBE>
- <ns1:EDPEnergyGraphTableBE xsi:type="ns1:EDPEnergyGraphTableBE">
  <EDPEnergyGraphTableName xsi:type="xsd:string">table3</EDPEnergyGraphTableName>
  <ItemPosition xsi:type="xsd:int">3</ItemPosition>
- <EDPObjectCollection soapenc:arrayType="ns1:EDPObjectBE[1]" xsi:type="soapenc:Array">
- <ns1:EDPObjectBE xsi:type="ns1:EDPObjectBE">
  <EDPObjectName xsi:type="xsd:string">Total Supply</EDPObjectName>
  <EDPObjectType xsi:type="xsd:string" xsi:nil="true" />
  <EDPObjectID xsi:type="xsd:string" xsi:nil="true" />
- <EnergyDataList soapenc:arrayType="ns1:EDPEnergyDataBE[6]" xsi:type="soapenc:Array">
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:12:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">223.94525</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:14:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">224.06785</FlowRate>
  <QualityIndicator xsi:type="xsd:string" />
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:16:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">224.06785</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:18:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">224.06785</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:20:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">224.06785</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>
- <ns1:EDPEnergyDataBE xsi:type="ns1:EDPEnergyDataBE">
  <ApplicableAt xsi:type="xsd:dateTime">2005-10-30T02:22:00.000Z</ApplicableAt>
  <FlowRate xsi:type="xsd:double">224.06785</FlowRate>
  <QualityIndicator xsi:type="xsd:string">S</QualityIndicator>
  <AmendedTimeStamp xsi:type="xsd:string" xsi:nil="true" />
  <ScheduleTime xsi:type="xsd:dateTime">2005-10-30T02:24:00.000Z</ScheduleTime>
  </ns1:EDPEnergyDataBE>

```

```
</EnergyDataList>
</ns1:EDPObjectBE>
</EDPObjectCollection>
<Description xsi:type="xsd:string">Total Supply</Description>
</ns1:EDPEnergyGraphTableBE>
</EDPEnergyGraphTableCollection>
- <NoteCollection soapenc:arrayType="ns1:EDPNoteBE[1]" xsi:type="soapenc:Array"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/">
- <ns1:EDPNoteBE xsi:type="ns1:EDPNoteBE">
  <NoteText xsi:type="xsd:string" />
  <StartDate xsi:type="xsd:dateTime">2005-10-28T14:19:15.000Z</StartDate>
  </ns1:EDPNoteBE>
</NoteCollection>
</EDPReportPage>
</xsd:schema>
```