

NTS Exit Capacity Charges for July 2016 Application Window - update¹

Following a Licence modification three new exit points have been added to Table 8 in Part F of Special Condition 5G – “Palm Paper”, “Kinneil CHP” and “St Fergus Segal”. The NTS Exit Capacity charges for these sites have been added to the table below.² All other charges remain the same.

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2016/17 (A)	2017/18 (B)	2018/19 (C)	2019/20 (D)
		Final	Indicative	Indicative	Indicative
Bacton	GDN (EA)	0.0010	0.0001	0.0001	0.0001
Brisley	GDN (EA)	0.0043	0.0001	0.0026	0.0004
Cambridge	GDN (EA)	0.0115	0.0072	0.0103	0.0083
Great Wilbraham	GDN (EA)	0.0104	0.0061	0.0092	0.0071
Matching Green	GDN (EA)	0.0152	0.0110	0.0142	0.0123
Peterborough Eye (Tee)	GDN (EA)	0.0104	0.0061	0.0092	0.0071
Roudham Heath	GDN (EA)	0.0062	0.0017	0.0046	0.0024
Royston	GDN (EA)	0.0126	0.0083	0.0114	0.0094
Whitwell	GDN (EA)	0.0148	0.0106	0.0138	0.0119
West Winch	GDN (EA)	0.0070	0.0026	0.0055	0.0034
Yelverton	GDN (EA)	0.0037	0.0001	0.0020	0.0001
Alrewas (EM)	GDN (EM)	0.0203	0.0163	0.0196	0.0179
Blaby	GDN (EM)	0.0162	0.0121	0.0153	0.0134
Blyborough	GDN (EM)	0.0069	0.0025	0.0055	0.0033
Caldecott	GDN (EM)	0.0135	0.0093	0.0124	0.0105
Thornton Curtis (DN)	GDN (EM)	0.0011	0.0001	0.0001	0.0001
Drointon	GDN (EM)	0.0216	0.0176	0.0210	0.0193
Gosberton	GDN (EM)	0.0082	0.0038	0.0068	0.0046
Kirkstead	GDN (EM)	0.0058	0.0013	0.0043	0.0020
Market Harborough	GDN (EM)	0.0148	0.0106	0.0138	0.0119
Silk Willoughby	GDN (EM)	0.0072	0.0028	0.0058	0.0036
Sutton Bridge	GDN (EM)	0.0090	0.0047	0.0077	0.0056
Tur Langton	GDN (EM)	0.0150	0.0108	0.0140	0.0121
Walesby	GDN (EM)	0.0030	0.0001	0.0013	0.0001
Asselby	GDN (NE)	0.0049	0.0004	0.0033	0.0010
Baldersby	GDN (NE)	0.0065	0.0021	0.0051	0.0029
Burley Bank	GDN (NE)	0.0089	0.0045	0.0075	0.0054
Ganstead	GDN (NE)	0.0007	0.0001	0.0001	0.0001
Pannal	GDN (NE)	0.0094	0.0050	0.0081	0.0060
Paull	GDN (NE)	0.0001	0.0001	0.0001	0.0001

¹ Original notice can be found at <http://www.gasgovernance.co.uk/sites/default/files/Exit%20capacity%20notice%201%20may%202016.pdf>

² https://www.ofgem.gov.uk/system/files/docs/2016/06/decision_letter_-_palm_paper_st_fergus_segal_kinneil_chp.pdf

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2016/17 (A)	2017/18 (B)	2018/19 (C)	2019/20 (D)
		Final	Indicative	Indicative	Indicative
Pickering	GDN (NE)	0.0061	0.0017	0.0046	0.0024
Rawcliffe	GDN (NE)	0.0051	0.0006	0.0035	0.0013
Towton	GDN (NE)	0.0074	0.0030	0.0059	0.0038
Bishop Auckland	GDN (NO)	0.0043	0.0001	0.0027	0.0004
Coldstream	GDN (NO)	0.0001	0.0001	0.0001	0.0001
Corbridge	GDN (NO)	0.0050	0.0005	0.0034	0.0039
Cowpen Bewley	GDN (NO)	0.0020	0.0001	0.0003	0.0001
Elton	GDN (NO)	0.0033	0.0001	0.0017	0.0001
Guyzance	GDN (NO)	0.0020	0.0001	0.0003	0.0008
Humbleton	GDN (NO)	0.0001	0.0001	0.0001	0.0001
Keld	GDN (NO)	0.0127	0.0084	0.0116	0.0124
Little Burdon	GDN (NO)	0.0038	0.0001	0.0022	0.0001
Melkinthorpe	GDN (NO)	0.0118	0.0075	0.0106	0.0114
Saltwick Pressure Controlled	GDN (NO)	0.0035	0.0001	0.0018	0.0024
Saltwick Volumetric Controlled	GDN (NO)	0.0035	0.0001	0.0018	0.0024
Thrintoft	GDN (NO)	0.0058	0.0013	0.0042	0.0020
Towlaw	GDN (NO)	0.0066	0.0021	0.0051	0.0029
Wetheral	GDN (NO)	0.0089	0.0046	0.0076	0.0083
Horndon	GDN (NT)	0.0157	0.0115	0.0147	0.0129
Luxborough Lane	GDN (NT)	0.0159	0.0118	0.0150	0.0131
Peters Green	GDN (NT)	0.0153	0.0111	0.0143	0.0124
Peters Green South Mimms	GDN (NT)	0.0153	0.0111	0.0143	0.0124
Winkfield (NT)	GDN (NT)	0.0253	0.0214	0.0249	0.0233
Audley (NW)	GDN (NW)	0.0257	0.0218	0.0253	0.0237
Blackrod	GDN (NW)	0.0223	0.0184	0.0218	0.0201
Ecclestone	GDN (NW)	0.0294	0.0257	0.0292	0.0278
Holmes Chapel	GDN (NW)	0.0271	0.0233	0.0268	0.0253
Lupton	GDN (NW)	0.0156	0.0115	0.0147	0.0156
Malpas	GDN (NW)	0.0278	0.0241	0.0276	0.0261
Mickle Trafford	GDN (NW)	0.0292	0.0255	0.0291	0.0277
Partington	GDN (NW)	0.0256	0.0218	0.0252	0.0265
Samlesbury	GDN (NW)	0.0207	0.0167	0.0200	0.0183
Warburton	GDN (NW)	0.0253	0.0215	0.0249	0.0262
Weston Point	GDN (NW)	0.0303	0.0266	0.0302	0.0289
Aberdeen	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Armadale	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Balgray	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Bathgate	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Burnervie	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Broxburn	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Careston	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Drum	GDN (SC)	0.0001	0.0001	0.0001	0.0001
St Fergus	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Glenmavis	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Hume	GDN (SC)	0.0007	0.0001	0.0001	0.0001

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2016/17 (A)	2017/18 (B)	2018/19 (C)	2019/20 (D)
		Final	Indicative	Indicative	Indicative
Kinknockie	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Langholm	GDN (SC)	0.0061	0.0017	0.0046	0.0052
Lauderhill	GDN (SC)	0.0020	0.0001	0.0003	0.0007
Lockerbie	GDN (SC)	0.0050	0.0005	0.0035	0.0040
Netherhowcleugh	GDN (SC)	0.0029	0.0001	0.0012	0.0017
Pitcairngreen	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Soutra	GDN (SC)	0.0026	0.0001	0.0009	0.0014
Stranraer	GDN (SC)	0.0038	0.0001	0.0021	0.0026
Farningham	GDN (SE)	0.0179	0.0138	0.0170	0.0152
Farningham B	GDN (SE)	0.0179	0.0138	0.0170	0.0152
Shorne	GDN (SE)	0.0167	0.0126	0.0158	0.0140
Tatsfield	GDN (SE)	0.0199	0.0159	0.0192	0.0174
Winkfield (SE)	GDN (SE)	0.0253	0.0214	0.0249	0.0233
Braishfield A	GDN (SO)	0.0294	0.0256	0.0292	0.0278
Braishfield B	GDN (SO)	0.0294	0.0256	0.0292	0.0278
Crawley Down	GDN (SO)	0.0279	0.0241	0.0276	0.0262
Hardwick	GDN (SO)	0.0192	0.0152	0.0185	0.0167
Ipsden	GDN (SO)	0.0229	0.0190	0.0224	0.0208
Ipsden 2	GDN (SO)	0.0229	0.0190	0.0224	0.0208
Mappowder	GDN (SO)	0.0350	0.0314	0.0351	0.0339
Winkfield (SO)	GDN (SO)	0.0253	0.0214	0.0249	0.0233
Aylesbeare	GDN (SW)	0.0379	0.0345	0.0382	0.0371
Cirencester	GDN (SW)	0.0257	0.0218	0.0253	0.0238
Coffinswell	GDN (SW)	0.0410	0.0376	0.0415	0.0405
Easton Grey	GDN (SW)	0.0263	0.0225	0.0259	0.0244
Evesham	GDN (SW)	0.0216	0.0176	0.0210	0.0193
Fiddington	GDN (SW)	0.0208	0.0168	0.0201	0.0184
Ilchester	GDN (SW)	0.0330	0.0294	0.0330	0.0317
Kenn	GDN (SW)	0.0392	0.0357	0.0396	0.0385
Littleton Drew	GDN (SW)	0.0272	0.0234	0.0269	0.0254
Lyneham (Choakford)	GDN (SW)	0.0441	0.0409	0.0448	0.0439
Pucklechurch	GDN (SW)	0.0282	0.0244	0.0279	0.0265
Ross (SW)	GDN (SW)	0.0175	0.0134	0.0167	0.0148
Seabank (DN)	GDN (SW)	0.0304	0.0267	0.0303	0.0289
Alrewas (WM)	GDN (WM)	0.0203	0.0163	0.0196	0.0179
Aspley	GDN (WM)	0.0238	0.0199	0.0233	0.0217
Audley (WM)	GDN (WM)	0.0257	0.0218	0.0253	0.0237
Austrey	GDN (WM)	0.0195	0.0155	0.0188	0.0170
Leamington	GDN (WM)	0.0186	0.0145	0.0178	0.0160
Lower Quinton	GDN (WM)	0.0207	0.0167	0.0200	0.0183
Milwich	GDN (WM)	0.0223	0.0184	0.0217	0.0201
Ross (WM)	GDN (WM)	0.0175	0.0134	0.0167	0.0148
Rugby	GDN (WM)	0.0173	0.0132	0.0165	0.0147
Shustoke	GDN (WM)	0.0209	0.0169	0.0202	0.0186
Stratford-upon-Avon	GDN (WM)	0.0202	0.0161	0.0195	0.0177

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2016/17 (A)	2017/18 (B)	2018/19 (C)	2019/20 (D)
		Final	Indicative	Indicative	Indicative
Maelor	GDN (WN)	0.0288	0.0250	0.0286	0.0272
Dowlais	GDN (WS)	0.0128	0.0085	0.0116	0.0096
Dyffryn Clydach	GDN (WS)	0.0100	0.0057	0.0088	0.0067
Gilwern	GDN (WS)	0.0141	0.0099	0.0130	0.0111
Ferny Knoll (AM Paper)	DC	0.0225	0.0186	0.0219	0.0231
Air Products (Teesside)	DC	0.0016	0.0001	0.0001	0.0001
Tonna (Baglan Bay)	DC	0.0101	0.0058	0.0088	0.0067
Barking (Horndon)	DC	0.0157	0.0115	0.0147	0.0129
Barrow (Black Start)	DC	0.0116	0.0073	0.0104	0.0112
Billingham ICI (Terra Billingham)	DC	0.0023	0.0001	0.0005	0.0001
Bishop Auckland (test facility)	DC	0.0043	0.0001	0.0027	0.0004
Blackness (BP Grangemouth)	DC	0.0001	0.0001	0.0001	0.0001
Saltend BPHP (BP Saltend HP)	DC	0.0003	0.0001	0.0001	0.0001
Shotwick (Bridgewater Paper)	DC	0.0302	0.0265	0.0301	0.0287
Blyborough (Brigg)	DC	0.0080	0.0036	0.0043	0.0021
Epping Green (Enfield Energy, aka Brimsdown)	DC	0.0162	0.0121	0.0153	0.0135
Brine Field (Teesside) Power Station	DC	0.0015	0.0001	0.0001	0.0001
Pickmere (Winnington Power, aka Brunner Mond)	DC	0.0263	0.0224	0.0259	0.0266
Carrington (Partington) Power Station	DC	0.0256	0.0218	0.0252	0.0265
Centrax Industrial	DC	0.0408	0.0374	0.0413	0.0402
Cockenzie Power Station	DC	0.0001	0.0001	0.0001	0.0001
Burton Point (Connahs Quay)	DC	0.0306	0.0269	0.0305	0.0292
Caldecott (Corby Power Station)	DC	0.0131	0.0089	0.0120	0.0100
Stanford Le Hope (Coryton)	DC	0.0160	0.0119	0.0151	0.0132
Coryton 2 (Thames Haven) Power Station	DC	0.0160	0.0119	0.0151	0.0132
Blyborough (Cottam)	DC	0.0069	0.0025	0.0055	0.0033
Middle Stoke (Damhead Creek, aka Kingsnorth Power Station)	DC	0.0152	0.0110	0.0142	0.0123
Deeside	DC	0.0307	0.0269	0.0305	0.0291
Didcot PS	DC	0.0233	0.0194	0.0228	0.0211
Drakelow Power Station	DC	0.0197	0.0157	0.0190	0.0173
Enron Billingham	DC	0.0023	0.0001	0.0005	0.0001
Fordoun CNG Station	DC	0.0001	0.0001	0.0001	0.0001
Goole (Guardian Glass)	DC	0.0055	0.0010	0.0039	0.0017
Grain Power Station	DC	0.0152	0.0110	0.0142	0.0123
Bacton (Great Yarmouth)	DC	0.0010	0.0001	0.0001	0.0001
Hatfield Power Station	DC	0.0051	0.0006	0.0035	0.0013
Hollingsgreen (Hays Chemicals)	DC	0.0269	0.0231	0.0266	0.0251
Weston Point (Castner Kelner, aka ICI Runcorn)	DC	0.0303	0.0266	0.0302	0.0289
Thornton Curtis (Humber Refinery, aka Immingham)	DC	0.0011	0.0001	0.0001	0.0001
Eastoft (Keadby Blackstart)	DC	0.0068	0.0023	0.0053	0.0031
Eastoft (Keadby)	DC	0.0068	0.0023	0.0053	0.0031
Shellstar (aka Kemira, not Kemira CHP)	DC	0.0299	0.0262	0.0298	0.0284

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2016/17 (A)	2017/18 (B)	2018/19 (C)	2019/20 (D)
		Final	Indicative	Indicative	Indicative
Saddle Bow (Kings Lynn)	DC	0.0069	0.0025	0.0055	0.0033
Kinneil CHP	DC	0.0001	0.0001	0.0001	0.0001
Langage Power Station	DC	0.0441	0.0409	0.0448	0.0439
St. Neots (Little Barford)	DC	0.0149	0.0107	0.0138	0.0119
Gowkhall (Longannet)	DC	0.0001	0.0001	0.0001	0.0001
Marchwood Power Station	DC	0.0297	0.0259	0.0295	0.0281
Medway (aka Isle of Grain Power Station, NOT Grain Power)	DC	0.0153	0.0111	0.0143	0.0124
Upper Neeston (Milford Haven Refinery)	DC	0.0001	0.0001	0.0001	0.0001
Palm Paper	DC	0.0069	0.0014	0.0055	0.0033
Blackbridge (Pembroke PS)	DC	0.0007	0.0001	0.0001	0.0001
Peterborough (Peterborough Power Station)	DC	0.0108	0.0065	0.0084	0.0063
St. Fergus (Peterhead)	DC	0.0001	0.0001	0.0001	0.0001
Phillips Petroleum, Teeside	DC	0.0015	0.0001	0.0001	0.0001
Weston Point (Rocksavage)	DC	0.0303	0.0266	0.0302	0.0289
Glasgoforest	DC	0.0001	0.0001	0.0001	0.0001
Roosecote (Roosecote Power Station)	DC	0.0116	0.0073	0.0104	0.0112
Ryehouse	DC	0.0168	0.0126	0.0159	0.0129
Rosehill (Saltend Power Station)	DC	0.0001	0.0001	0.0001	0.0001
Sandy Lane (Blackburn CHP, aka Sappi Paper Mill)	DC	0.0211	0.0172	0.0205	0.0188
Seabank (Seabank Power Station phase II)	DC	0.0302	0.0265	0.0301	0.0287
Abson (Seabank Power Station phase I)	DC	0.0282	0.0244	0.0279	0.0265
Sellafield Power Station	DC	0.0163	0.0121	0.0153	0.0163
Terra Nitrogen (aka ICI, Terra Severnside)	DC	0.0301	0.0264	0.0300	0.0286
Harwarden (Shotton, aka Shotton Paper)	DC	0.0305	0.0268	0.0304	0.0291
Wragg Marsh (Spalding)	DC	0.0086	0.0042	0.0072	0.0051
Spalding 2 (South Holland) Power Station	DC	0.0086	0.0042	0.0072	0.0051
St. Fergus (Shell Blackstart)	DC	0.0001	0.0001	0.0001	0.0001
St. Fergus Segal	DC	0.0001	0.0001	0.0001	0.0001
Stallingborough (phase 1 and 2)	DC	0.0021	0.0001	0.0004	0.0001
Staythorpe PH1 and PH2	DC	0.0103	0.0060	0.0090	0.0069
Sutton Bridge Power Station	DC	0.0089	0.0045	0.0075	0.0054
Teesside (BASF, aka BASF Teesside)	DC	0.0015	0.0001	0.0001	0.0001
Teesside Hydrogen	DC	0.0016	0.0001	0.0001	0.0001
Thornton Curtis (Killingholme)	DC	0.0011	0.0001	0.0001	0.0001
Tilbury Power Station	DC	0.0164	0.0123	0.0155	0.0137
Pembroke CHP (South Hook CHP)	DC	0.0007	0.0001	0.0001	0.0001
TRAFFORD_PS	DC	0.0256	0.0218	0.0252	0.0265
APACHE	DC	0.0001	0.0001	0.0001	0.0001
SEAL SANDS TGPP	DC	0.0015	0.0001	0.0001	0.0001
West Burton PS	DC	0.0070	0.0026	0.0055	0.0034
Willington Power Station	DC	0.0214	0.0174	0.0208	0.0191

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2016/17 (A)	2017/18 (B)	2018/19 (C)	2019/20 (D)
		Final	Indicative	Indicative	Indicative
Wyre Power Station	DC	0.0199	0.0159	0.0192	0.0202
Zeneca (ICI Avecia, aka 'Zenica')	DC	0.0023	0.0001	0.0005	0.0001
Avonmouth Max Refill	STORAGE SITE	0.0302	0.0265	0.0301	0.0287
Bacton (Baird)	STORAGE SITE	0.0010	0.0001	0.0001	0.0001
Deborah Storage (Bacton)	STORAGE SITE	0.0010	0.0001	0.0001	0.0001
Barrow (Bains)	STORAGE SITE	0.0116	0.0073	0.0104	0.0112
Barrow (Gateway)	STORAGE SITE	0.0116	0.0073	0.0104	0.0112
Barton Stacey Max Refill (Humbly Grove)	STORAGE SITE	0.0276	0.0238	0.0273	0.0259
Caythorpe	STORAGE SITE	0.0030	0.0001	0.0013	0.0001
Cheshire (Holford)	STORAGE SITE	0.0262	0.0224	0.0259	0.0258
Dynevor Max Refill	STORAGE SITE	0.0121	0.0078	0.0109	0.0089
Rough Max Refill	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Garton Max Refill (Aldbrough)	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Glenmavis Max Refill	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Hatfield Moor Max Refill	STORAGE SITE	0.0060	0.0015	0.0044	0.0022
Hole House Max Refill	STORAGE SITE	0.0268	0.0230	0.0265	0.0250
Hornsea Max Refill	STORAGE SITE	0.0016	0.0001	0.0001	0.0001
Partington Max Refill	STORAGE SITE	0.0256	0.0218	0.0252	0.0265
Stublach (Cheshire)	STORAGE SITE	0.0262	0.0224	0.0259	0.0258
Saltfleetby Storage (Theddlethorpe)	STORAGE SITE	0.0016	0.0001	0.0001	0.0001
Hill Top Farm (Hole House Farm)	STORAGE SITE	0.0268	0.0230	0.0265	0.0250