

NTS Exit Capacity Charges for July 2019 Application Window – update¹

In accordance with our Gas Transporter Licence Special Condition 5G Part F, a new NTS Exit point was added to the Zero Licence Baseline Exit Capacity Table² - “Saltholme Power Station” The NTS Exit Capacity charges for this site has been added to the table below. All other charges remain the same.

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A)	2020/21 (B)	2021/22 (C)	2022/23 (D)
		Final	Indicative	Indicative	Indicative
Bacton	GDN (EA)	0.0001	0.0001	0.0001	0.0001
Brisley	GDN (EA)	0.0023	0.0026	0.0036	0.0028
Cambridge	GDN (EA)	0.0103	0.0108	0.0121	0.0116
Peterborough Eye (Tee)	GDN (EA)	0.0090	0.0096	0.0108	0.0102
Great Wilbraham	GDN (EA)	0.0091	0.0096	0.0108	0.0102
Matching Green	GDN (EA)	0.0142	0.0149	0.0163	0.0159
Roudham Heath	GDN (EA)	0.0044	0.0048	0.0058	0.0051
Royston	GDN (EA)	0.0114	0.0120	0.0133	0.0128
West Winch	GDN (EA)	0.0053	0.0057	0.0068	0.0061
Whitwell	GDN (EA)	0.0138	0.0145	0.0159	0.0155
Yelverton	GDN (EA)	0.0017	0.0020	0.0029	0.0021
Alrewas (EM)	GDN (EM)	0.0198	0.0207	0.0223	0.0221
Blaby	GDN (EM)	0.0154	0.0161	0.0175	0.0172
Blyborough	GDN (EM)	0.0052	0.0056	0.0067	0.0060
Caldecott	GDN (EM)	0.0124	0.0131	0.0144	0.0140
Drointon	GDN (EM)	0.0212	0.0222	0.0238	0.0236
Gosberton	GDN (EM)	0.0066	0.0070	0.0081	0.0075
Kirkstead	GDN (EM)	0.0040	0.0044	0.0054	0.0047
Market Harborough	GDN (EM)	0.0139	0.0146	0.0159	0.0155
Silk Willoughby	GDN (EM)	0.0055	0.0060	0.0070	0.0064
Sutton Bridge	GDN (EM)	0.0075	0.0080	0.0092	0.0086
Thornton Curtis (DN)	GDN (EM)	0.0001	0.0001	0.0001	0.0001

¹ Original notice can be found at <https://www.gasgovernance.co.uk/ntscharges/2019>

² This table can be found on the Long Term summary report: Exit Report: <http://mip-prod-web.azurewebsites.net/ExitCapacityPublication/Index> (Publication Type: Long Term Summary)

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A)	2020/21 (B)	2021/22 (C)	2022/23 (D)
		Final	Indicative	Indicative	Indicative
Tur Langton	GDN (EM)	0.0140	0.0148	0.0161	0.0157
Walesby	GDN (EM)	0.0009	0.0012	0.0021	0.0013
Asselby	GDN (NE)	0.0030	0.0033	0.0043	0.0035
Baldersby	GDN (NE)	0.0047	0.0052	0.0063	0.0056
Burley Bank	GDN (NE)	0.0073	0.0078	0.0090	0.0084
Ganstead	GDN (NE)	0.0001	0.0001	0.0001	0.0001
Pannal	GDN (NE)	0.0078	0.0084	0.0096	0.0090
Paull	GDN (NE)	0.0001	0.0001	0.0001	0.0001
Pickering	GDN (NE)	0.0043	0.0047	0.0028	0.0020
Rawcliffe	GDN (NE)	0.0032	0.0035	0.0045	0.0038
Towton	GDN (NE)	0.0057	0.0061	0.0072	0.0066
Bishop Auckland	GDN (NO)	0.0023	0.0027	0.0036	0.0028
Coldstream	GDN (NO)	0.0001	0.0001	0.0008	0.0001
Corbridge	GDN (NO)	0.0030	0.0034	0.0070	0.0036
Cowpen Bewley	GDN (NO)	0.0001	0.0001	0.0010	0.0001
Elton	GDN (NO)	0.0012	0.0016	0.0025	0.0017
Guyzance	GDN (NO)	0.0001	0.0001	0.0036	0.0001
Humbleton	GDN (NO)	0.0001	0.0001	0.0001	0.0001
Keld	GDN (NO)	0.0114	0.0121	0.0161	0.0129
Little Burdon	GDN (NO)	0.0018	0.0021	0.0031	0.0023
Melkinton	GDN (NO)	0.0105	0.0111	0.0151	0.0119
Saltwick Pressure Controlled	GDN (NO)	0.0014	0.0017	0.0053	0.0019
Saltwick Volumetric Controlled	GDN (NO)	0.0014	0.0017	0.0053	0.0019
Thrintoft	GDN (NO)	0.0039	0.0043	0.0053	0.0046
Towlaw	GDN (NO)	0.0048	0.0052	0.0063	0.0056
Wetheral	GDN (NO)	0.0073	0.0079	0.0117	0.0084
Horndon	GDN (NT)	0.0120	0.0114	0.0126	0.0121
Luxborough Lane	GDN (NT)	0.0151	0.0146	0.0159	0.0155
Peters Green	GDN (NT)	0.0143	0.0151	0.0164	0.0161
Peters Green South Mimms	GDN (NT)	0.0143	0.0151	0.0164	0.0161

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A)	2020/21 (B)	2021/22 (C)	2022/23 (D)
		Final	Indicative	Indicative	Indicative
Winkfield (NT)	GDN (NT)	0.0253	0.0263	0.0281	0.0281
Audley (NW)	GDN (NW)	0.0257	0.0268	0.0285	0.0286
Blackrod	GDN (NW)	0.0220	0.0230	0.0247	0.0246
Ecclestone	GDN (NW)	0.0298	0.0310	0.0329	0.0331
Holmes Chapel	GDN (NW)	0.0272	0.0284	0.0302	0.0303
Lupton	GDN (NW)	0.0147	0.0155	0.0195	0.0165
Malpas	GDN (NW)	0.0281	0.0292	0.0311	0.0312
Mickle Trafford	GDN (NW)	0.0296	0.0308	0.0327	0.0329
Partington	GDN (NW)	0.0255	0.0267	0.0311	0.0285
Samlesbury	GDN (NW)	0.0202	0.0212	0.0228	0.0226
Warburton	GDN (NW)	0.0252	0.0264	0.0308	0.0282
Weston Point	GDN (NW)	0.0308	0.0321	0.0340	0.0342
Aberdeen	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Armadale	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Balgray	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Bathgate	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Broxburn	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Burnervie	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Careston	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Drum	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Glenmavis	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Hume	GDN (SC)	0.0001	0.0001	0.0021	0.0001
Kinknockie	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Langholm	GDN (SC)	0.0043	0.0047	0.0084	0.0051
Lauderhill	GDN (SC)	0.0001	0.0001	0.0036	0.0001
Lockerbie	GDN (SC)	0.0031	0.0035	0.0071	0.0037
Netherhowcleugh	GDN (SC)	0.0008	0.0011	0.0047	0.0012
Pitcairngreen	GDN (SC)	0.0001	0.0001	0.0001	0.0001
Soutra	GDN (SC)	0.0005	0.0008	0.0043	0.0008
St Fergus	GDN (SC)	0.0001	0.0001	0.0001	0.0001

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A)	2020/21 (B)	2021/22 (C)	2022/23 (D)
		Final	Indicative	Indicative	Indicative
Stranraer	GDN (SC)	0.0017	0.0020	0.0057	0.0022
Farningham	GDN (SE)	0.0121	0.0115	0.0128	0.0123
Farningham B	GDN (SE)	0.0121	0.0115	0.0128	0.0123
Shorne	GDN (SE)	0.0109	0.0102	0.0114	0.0109
Tatsfield	GDN (SE)	0.0143	0.0138	0.0151	0.0147
Winkfield (SE)	GDN (SE)	0.0253	0.0263	0.0281	0.0281
Braishfield A	GDN (SO)	0.0297	0.0310	0.0329	0.0330
Braishfield B	GDN (SO)	0.0297	0.0310	0.0329	0.0330
Crawley Down	GDN (SO)	0.0281	0.0293	0.0311	0.0313
Hardwick	GDN (SO)	0.0187	0.0195	0.0211	0.0208
Ipsden	GDN (SO)	0.0227	0.0237	0.0254	0.0253
Ipsden 2	GDN (SO)	0.0227	0.0237	0.0254	0.0253
Mappowder	GDN (SO)	0.0251	0.0254	0.0271	0.0271
Winkfield (SO)	GDN (SO)	0.0253	0.0263	0.0281	0.0281
Aylesbeare	GDN (SW)	0.0278	0.0282	0.0300	0.0301
Lyneham (Choakford)	GDN (SW)	0.0346	0.0353	0.0373	0.0376
Cirencester	GDN (SW)	0.0144	0.0144	0.0157	0.0154
Coffinswell	GDN (SW)	0.0312	0.0317	0.0336	0.0338
Easton Grey	GDN (SW)	0.0151	0.0151	0.0164	0.0161
Evesham	GDN (SW)	0.0107	0.0105	0.0117	0.0112
Fiddington	GDN (SW)	0.0091	0.0089	0.0101	0.0095
Ilchester	GDN (SW)	0.0224	0.0226	0.0243	0.0242
Kenn	GDN (SW)	0.0292	0.0296	0.0315	0.0316
Littleton Drew	GDN (SW)	0.0161	0.0161	0.0175	0.0172
Pucklechurch	GDN (SW)	0.0172	0.0172	0.0187	0.0184
Ross (SW)	GDN (SW)	0.0055	0.0052	0.0062	0.0055
Seabank (DN)	GDN (SW)	0.0196	0.0197	0.0212	0.0210
Alrewas (WM)	GDN (WM)	0.0198	0.0207	0.0223	0.0221
Aspley	GDN (WM)	0.0236	0.0246	0.0263	0.0263
Audley (WM)	GDN (WM)	0.0257	0.0268	0.0285	0.0286

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A)	2020/21 (B)	2021/22 (C)	2022/23 (D)
		Final	Indicative	Indicative	Indicative
Austrey	GDN (WM)	0.0190	0.0191	0.0206	0.0204
Leamington	GDN (WM)	0.0140	0.0139	0.0152	0.0148
Lower Quinton	GDN (WM)	0.0120	0.0119	0.0132	0.0127
Milwich	GDN (WM)	0.0220	0.0230	0.0246	0.0245
Ross (WM)	GDN (WM)	0.0055	0.0052	0.0062	0.0055
Rugby	GDN (WM)	0.0153	0.0153	0.0167	0.0163
Shustoke	GDN (WM)	0.0205	0.0207	0.0222	0.0220
Stratford-upon-Avon	GDN (WM)	0.0122	0.0121	0.0134	0.0129
Maelor	GDN (WN)	0.0291	0.0303	0.0322	0.0323
Dowlais	GDN (WS)	0.0003	0.0001	0.0007	0.0001
Dyffryn Clydach	GDN (WS)	0.0001	0.0001	0.0001	0.0001
Gilwern	GDN (WS)	0.0018	0.0013	0.0022	0.0014
Air Products (Teesside)	DC	0.0001	0.0001	0.0004	0.0001
Ferny Knoll (AM Paper)	DC	0.0222	0.0232	0.0275	0.0248
Apache (Sage Black Start)	DC	0.0001	0.0001	0.0001	0.0001
Tonna (Baglan Bay)	DC	0.0001	0.0001	0.0001	0.0001
Barking (Horndon)	DC	0.0120	0.0114	0.0126	0.0121
Barrow (Black Start)	DC	0.0102	0.0108	0.0148	0.0116
Billingham ICI (Terra Billingham)	DC	0.0001	0.0004	0.0013	0.0004
Bishop Auckland (test facility)	DC	0.0023	0.0027	0.0036	0.0028
Blackness (BP Grangemouth)	DC	0.0001	0.0001	0.0001	0.0001
Kinneil CHP	DC	0.0001	0.0001	0.0001	0.0001
BP Saltend HP	DC	0.0001	0.0001	0.0001	0.0001
Shotwick (Bridgewater Paper)	DC	0.0307	0.0319	0.0339	0.0341
Blyborough (Brigg)	DC	0.0064	0.0044	0.0054	0.0047
Epping Green (Enfield Energy, aka Brimsdown)	DC	0.0154	0.0162	0.0176	0.0173
Brine Field (Teesside) Power Station	DC	0.0001	0.0001	0.0004	0.0001
Pickmere (Winnington Power, aka Brunner Mond)	DC	0.0262	0.0274	0.0297	0.0293
Carrington (Partington) Power Station	DC	0.0255	0.0267	0.0311	0.0285
Centrax Industrial	DC	0.0309	0.0314	0.0334	0.0335

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A)	2020/21 (B)	2021/22 (C)	2022/23 (D)
		Final	Indicative	Indicative	Indicative
Cockenzie Power Station	DC	0.0001	0.0001	0.0001	0.0001
Burton Point (Connahs Quay)	DC	0.0311	0.0324	0.0343	0.0346
Caldecott (Corby Power Station)	DC	0.0129	0.0135	0.0139	0.0135
Stanford Le Hope (Coryton)	DC	0.0116	0.0110	0.0123	0.0118
Coryton 2 (Thames Haven) Power Station	DC	0.0116	0.0110	0.0123	0.0118
Blyborough (Cottam)	DC	0.0052	0.0056	0.0067	0.0060
Middle Stoke (Damhead Creek, aka Kingsnorth Power Station)	DC	0.0092	0.0084	0.0096	0.0090
Deeside	DC	0.0311	0.0324	0.0343	0.0345
Didcot PS	DC	0.0231	0.0241	0.0258	0.0257
Drakelow Power Station	DC	0.0192	0.0201	0.0216	0.0214
Eggborough PS	DC	0.0044	0.0048	0.0058	0.0051
Enron Billingham	DC	0.0001	0.0004	0.0012	0.0004
Fordoun CNG Station	DC	0.0001	0.0001	0.0001	0.0001
Glasgoforest	DC	0.0001	0.0001	0.0001	0.0001
Goole (Guardian Glass)	DC	0.0036	0.0040	0.0050	0.0043
Grain Power Station	DC	0.0092	0.0084	0.0096	0.0090
Bacton (Great Yarmouth)	DC	0.0001	0.0001	0.0001	0.0001
Hatfield Power Station	DC	0.0032	0.0036	0.0046	0.0038
Hollingsgreen (Hays Chemicals)	DC	0.0271	0.0278	0.0296	0.0297
Weston Point (Castner Kelner, aka ICI Runcorn)	DC	0.0308	0.0321	0.0340	0.0342
Thornton Curtis (Humber Refinery, aka Immingham)	DC	0.0001	0.0001	0.0001	0.0001
Eastoft (Keadby Blackstart)	DC	0.0051	0.0055	0.0065	0.0034
Eastoft (Keadby)	DC	0.0051	0.0055	0.0065	0.0034
Keadby 2	DC	0.0051	0.0055	0.0065	0.0034
Shellstar (aka Kemira, not Kemira CHP)	DC	0.0303	0.0316	0.0335	0.0337
Saddle Bow (Kings Lynn)	DC	0.0056	0.0060	0.0071	0.0064
Langage Power Station	DC	0.0346	0.0353	0.0373	0.0376
St. Neots (Little Barford)	DC	0.0139	0.0146	0.0160	0.0156
Gowkhall (Longannet)	DC	0.0001	0.0001	0.0001	0.0001
Marchwood Power Station	DC	0.0301	0.0313	0.0332	0.0334

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A)	2020/21 (B)	2021/22 (C)	2022/23 (D)
		Final	Indicative	Indicative	Indicative
Medway (aka Isle of Grain Power Station, NOT Grain Power)	DC	0.0093	0.0086	0.0097	0.0091
Upper Neeston (Milford Haven Refinery)	DC	0.0001	0.0001	0.0001	0.0001
Palm Paper	DC	0.0057	0.0061	0.0072	0.0065
Blackbridge (Pembroke PS)	DC	0.0001	0.0001	0.0001	0.0001
Peterborough (Peterborough Power Station)	DC	0.0095	0.0100	0.0099	0.0093
St. Fergus (Peterhead)	DC	0.0001	0.0001	0.0001	0.0001
Phillips Petroleum, Teeside	DC	0.0001	0.0001	0.0004	0.0001
Weston Point (Rocksavage)	DC	0.0308	0.0321	0.0340	0.0342
Roosecote (Roosecote Power Station)	DC	0.0102	0.0108	0.0148	0.0116
Ryehouse	DC	0.0160	0.0167	0.0182	0.0166
Rosehill (Saltend Power Station)	DC	0.0001	0.0001	0.0001	0.0001
Sandy Lane (Blackburn CHP, aka Sappi Paper Mill)	DC	0.0207	0.0217	0.0233	0.0231
Seabank (Seabank Power Station phase II)	DC	0.0194	0.0195	0.0211	0.0208
Abson (Seabank Power Station phase I)	DC	0.0172	0.0172	0.0187	0.0184
Seal Sands TGPP	DC	0.0001	0.0001	0.0004	0.0001
Sellafield Power Station	DC	0.0153	0.0161	0.0202	0.0086
Terra Nitrogen (aka ICI, Terra Severnside)	DC	0.0193	0.0194	0.0209	0.0207
Harwarden (Shotton, aka Shotton Paper)	DC	0.0310	0.0323	0.0342	0.0344
Wragg Marsh (Spalding)	DC	0.0070	0.0075	0.0086	0.0080
Spalding 2 (South Holland Power Station)	DC	0.0070	0.0075	0.0086	0.0080
St. Fergus (Shell Blackstart)	DC	0.0001	0.0001	0.0001	0.0001
St. Fergus Segal	DC	0.0001	0.0001	0.0001	0.0001
Stallingborough (phase 1 and 2)	DC	0.0001	0.0002	0.0011	0.0002
Staythorpe PH1 and PH2	DC	0.0089	0.0094	0.0106	0.0101
Sutton Bridge Power Station	DC	0.0074	0.0078	0.0090	0.0084
Teesside (BASF, aka BASF Teesside)	DC	0.0001	0.0001	0.0004	0.0001
Teesside Hydrogen	DC	0.0001	0.0001	0.0004	0.0001
Thornton Curtis (Killingholme)	DC	0.0001	0.0001	0.0001	0.0001
Tilbury Power Station	DC	0.0112	0.0105	0.0118	0.0112

Offtake Point	Type of Offtake	Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A)	2020/21 (B)	2021/22 (C)	2022/23 (D)
		Final	Indicative	Indicative	Indicative
Trafford Power Station	DC	0.0255	0.0267	0.0311	0.0285
West Burton PS	DC	0.0053	0.0057	0.0068	0.0061
Willington Power Station	DC	0.0210	0.0220	0.0236	0.0235
Wyre Power Station	DC	0.0193	0.0202	0.0244	0.0216
Zeneca (ICI Avecia, aka 'Zenica')	DC	0.0001	0.0004	0.0013	0.0004
Saltholme	NEW	0.0001	0.0001	0.0008	0.0001
Avonmouth Max Refill	STORAGE SITE	0.0194	0.0195	0.0210	0.0208
Bacton (Baird)	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Deborah Storage (Bacton)	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Barrow (Bains)	STORAGE SITE	0.0102	0.0108	0.0148	0.0116
Barrow (Gateway)	STORAGE SITE	0.0102	0.0108	0.0148	0.0116
Barton Stacey Max Refill (Humbly Grove)	STORAGE SITE	0.0278	0.0290	0.0308	0.0309
Caythorpe	STORAGE SITE	0.0009	0.0012	0.0001	0.0001
Cheshire (Holford)	STORAGE SITE	0.0263	0.0271	0.0288	0.0289
Dynevor Max Refill	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Rough Max Refill	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Garton Max Refill (Aldbrough)	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Glenmavis Max Refill	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Hatfield Moor Max Refill	STORAGE SITE	0.0042	0.0046	0.0056	0.0044
Hill Top Farm (Hole House Farm)	STORAGE SITE	0.0270	0.0281	0.0299	0.0300
Hole House Max Refill	STORAGE SITE	0.0270	0.0281	0.0299	0.0300
Hornsea Max Refill	STORAGE SITE	0.0001	0.0001	0.0001	0.0001
Partington Max Refill	STORAGE SITE	0.0255	0.0267	0.0311	0.0285
Saltfleetby Storage (Theddlethorpe)	STORAGE SITE	0.0001	0.0001	0.0005	0.0001
Stublach (Cheshire)	STORAGE SITE	0.0263	0.0271	0.0289	0.0289

Appendix 2 NTS Exit Capacity charges relating to Interconnection Points (IPs)

In accordance with CAM, effective 1 November 2015, the following prices are applicable for the Exit Annual Yearly IP Capacity Auctions, Exit Annual Quarterly IP Capacity Auctions, Exit Rolling Monthly IP Capacity Auctions, Exit Rolling Day Ahead IP Capacity Auctions and Within Day IP Capacity Auctions.

Offtake Point	Type of Offtake	IP Exit Capacity Charge (p/kWh/day) in relevant Gas Year			
		2019/20 (A) Final	2020/21 (B) Indicative	2021/22 (C) Indicative	2022/23 (D) Indicative
Bacton IUK	INTERCONNECTOR	0.0001	0.0001	0.0001	0.0001
Bacton BBL	INTERCONNECTOR	0.0001	0.0001	0.0001	0.0001
Moffat (Irish Interconnector)	INTERCONNECTOR - FIRM, EXIT ONLY	0.0017	0.0020	0.0057	0.0022

For the Ascending Clock Auctions, the NTS Large Price Step shall be the greater of 5% of the reserve price or 0.0001p/kWh/day. A Small Price Step will be one fifth of the Large Price Step.