



# Notice of Gas Transmission Transportation Charges

Effective from 1 April 2019

Issued 31 January 2019

**nationalgrid**

---

## Contents

---

Introduction	2
NTS Capacity Charges	5
NTS Interconnection Point Capacity Charges	18
NTS Commodity Charges	22
Other Charges	25
Appendix A NTS Non-Incremental Obligated Entry Capacity	29
Appendix B AMSEC Entry Capacity	31
Appendix C QSEC Entry Capacity	32
Appendix D QSEC Entry Capacity Step Prices 2019	33
Appendix E Estimated Project Values £m	35
Appendix F IP Annual Yearly Capacity Reserve Prices	37

## Introduction

This publication sets out the transportation charges which apply from 1 April 2019 for the use of the NTS, as required by Standard Special Condition A4 of the National Grid NTS Gas Transporter Licence. This document does not override or vary any of the statutory, Licence or Uniform Network Code obligations upon National Grid NTS.

Further information on the methods and principles on which Transmission transportation charges are derived is set out in Uniform Network Code (UNC) – Transportation Principal Document, Section Y – Charging Methodologies. A copy of the UNC can be found at [www.gasgovernance.co.uk/TPD](http://www.gasgovernance.co.uk/TPD).

Details of National Grid and its activities can be found on the National Grid Internet site at [www.nationalgrid.com](http://www.nationalgrid.com). An electronic version of this publication can be found on our web site at via this link [Transportation Statement](#).

For more information on the charges set out below, please contact Karin Elmhirst on 01926 655540 or Dave Bayliss on 01926 656853 or email [box.transmissioncapacityandcharging@nationalgrid.com](mailto:box.transmissioncapacityandcharging@nationalgrid.com).

## Changes to Charges – Indicative and Final Notices

NTS Transportation Charges are normally updated on 1 April and 1 October of each year in line with our Licence obligations. When considering changes to charges, National Grid will give an estimate of such changes in an “Indicative Notice” published 150 days prior to implementation and a “Final Notice” published two months prior to implementation. The notices will be available on our website at the following locations, respectively [Indicative Notices](#) and [Final Notices](#).

## Uniform Network Code

The Uniform Network Code (UNC) forms the contractual framework between NTS and DN Gas Transporters, and the shippers whose gas is transported. It is supported by an integrated set of computer systems called UK Link. The charges and formulae in this booklet will be used in the calculation of charges within UK Link, which are the definitive rates for billing purposes.

There are a number of areas of the UNC that impact upon the cost to shippers of using the transportation network, such as imbalance charges, scheduling charges, capacity overruns, top-up neutrality charges and contractual liability. For details of such charges and liabilities, reference should be made to the UNC, which is modified from time to time, and not discussed further in this document.

## Units

Charges are expressed and billed as follows:

1. Commodity - pence per kilowatt hour (kWh).
2. Exit Capacity - pence per kWh per day.
3. Entry Capacity - pence per kWh per day.
4. Fixed - pence per day.

All charge rates are rounded to 4 decimal places.

## Invoicing

Invoices derived from the transportation charges shown within this publication are produced and issued by Xoserve. Xoserve is the invoicing service provider to the NTS and the Distribution Networks (DNs). To clarify this link between pricing and invoicing, charge codes and invoice names are included in the tables in this document.

For more information on invoicing, please contact the Xoserve invoicing team via email at [.box.xoserve.transmissionbilling@xoserve.com](mailto:box.xoserve.transmissionbilling@xoserve.com).

## The National Grid NTS Transportation Price Control Formulae

Transportation charges are derived in relation to price control formulae which are set by Ofgem, the gas and electricity market regulator, for the transportation of gas. These formulae determine the maximum revenue National Grid NTS can earn from the transportation of gas. Should National Grid NTS earn more or less than the maximum permitted revenue in any formula year, a compensating adjustment will be made in the relevant future year as described in the NTS Licence. Where a significant over or under-recovery is anticipated within a year an adjustment to charges may be made during the year.

The price control for the NTS is divided into Transportation Owner (TO) and System Operator (SO) controls. Transportation charges are split to reflect these price control arrangements.

For NTS TO revenue, the target is to recover 50% from Exit Capacity bookings and 50% from Entry Capacity auctions. Both Entry and Exit Capacity charges reflect the estimated long run marginal cost (LRMC) of developing the system to meet a sustained increase in demand and supplies and are based on GCM01 'Methodology for Determination of NTS Entry and Exit Capacity Prices', which uses a Transportation Model.

Charges for Entry Capacity are determined by auctions which apply to all System Entry points. Exit Capacity charges are administered and set so as to recover the TO target Exit revenue.

The unpredictability of Entry auction revenue and Exit Capacity bookings means that the 50 / 50 TO revenue split between Entry and Exit may not be achieved in practice. In the event of a forecast under-recovery of auction revenue against the Entry target level, a TO Entry Commodity charge may be levied on entry flows and a TO Exit Commodity charge may be levied on Exit flows where revenue from Exit Capacity bookings is forecast to be under-recovered. The TO Commodity charges are the same at all Entry and Exit points.

SO revenue is recovered through the NTS SO Commodity charge. This is a uniform charge, independent of Entry and Exit points, and is levied on both NTS Entry and NTS Exit flows. A distance-related Commodity tariff, the Optional NTS Commodity charge, is also available as an alternative to both the SO and TO Commodity charges.

## DN Pensions Deficit

The DN Pensions Deficit Charge is a charge levied on the Distribution Network (DN) Operators. It is designed to collect specific annual cost allowances for the part-funding of the deficit in the National Grid UK Pension Scheme. This deficit relates to the pension costs of former employees of the DNs. The allowance has been included in the NTS TO Price Control Formulae RIIO-T1 effective from 1 April 2013. It is recovered via the application of a DN Pensions Deficit Charge which is levied on each of the DNs on a monthly basis in accordance with National Grid's NTS Licence and the DN's Gas Transporters Licence.

## NTS Exit Reform

From 1 October 2012 the NTS Exit Capacity regime moved from its 'Transitional' to the 'Enduring' period. NTS Exit Reform changes have been approved via UNC Modification 0195AV which introduced Enduring Annual, Annual, Daily Firm and Off-Peak sales of NTS Exit Flat Capacity through Application and Auction based mechanisms. The primary business drivers for the Enduring Offtake arrangements are to provide market signals for NTS investment and to facilitate fair competition.

The terms on which the capacity is sold are set out in the UNC Section B.

Firm transportation charges for the NTS comprise Capacity and Commodity charges.

Details of Exit Capacity applications and auctions can be obtained from the National Grid Capacity Auctions Team on 01926 654057 and via email at [capacityauctions@nationalgrid.com](mailto:capacityauctions@nationalgrid.com).

## Theft of Gas

The licensing regime places incentives on transporters, shippers and suppliers to take action in respect of suspected theft of gas. Certain costs associated with individual cases of theft are recovered through transportation charges. National Grid's NTS charges reflect these requirements, with National Grid NTS remaining cash neutral in the process.

## NTS Capacity Charges

Capacity charges consist of charges for Entry, Exit and credits payable for constrained Liquefied Natural Gas (LNG). This section also includes details of the Interconnector Point (IPs) auctions. Entry and Exit Capacity charges are payable when a right to flow gas is purchased irrespective of whether or not the right is exercised.

### NTS TO Entry Capacity

National Grid is obliged to make available for sale System Entry Capacity by means of five related auction mechanisms. For each of the System Entry points, Capacity is made available on a Firm and Interruptible basis. All Entry Capacity is offered on a pence per kWh per day basis, where the quantity is measured in terms of an end of day entitlement.

Firm Entry Capacity is offered in bundles of quarters, months and days.

Interruptible Capacity is limited to being offered on a daily basis in an auction that is conducted the day ahead of the intended day of use.

For further information on System Entry Capacity charging please refer to **Uniform Network Code (UNC) – Transportation Principal Document, Section Y – Charging Methodologies**.

National Grid's Transportation Model is used to determine prices for Entry and Exit Capacity. The Transportation Model is available to parties that have signed the Licence agreement for the model. Details of how to obtain the model can be found on the charging section of our website under Tools and Supporting Information and at this link. <https://www.nationalgridgas.com/charging/transmission-system-charges>

### Quarterly System Entry Capacity

Entry Capacity can be obtained through the Quarterly (Firm) System Entry Capacity (QSEC) auction process up to 17 years ahead of the intended year of use. National Grid NTS has an obligation to make available a baseline quantity which is calculated in accordance with paragraph 14(5)(g) of part 2 of Special Condition 2A National Grid NTS's Licence. The baseline quantity from which National Grid NTS's obligation is derived is set out in Appendix A of the current Transmission Transportation Charging Statement. The minimum quantities to be offered in the Annual System Entry Capacity auctions, after taking into account a requirement to hold back some Capacity for short term allocation, is detailed in Appendix C of the current Transmission Transportation Charging Statement.

For each of the System Entry Points National Grid NTS has determined a baseline price and up to an additional 20 price steps for increments of Capacity that may be demanded above the baseline quantity, as set out in the Uniform Network Code (UNC) – Transportation Principal Document, Section Y – Charging Methodologies and the Entry Capacity Release (ECR) Statement. The step prices that are applicable for QSEC allocations are set out in Appendix D of the current Transmission Transportation Charging Statement. Prices are published for each System Entry point and are applicable for all periods in which QSEC is offered. Allocation of Capacity will be conducted in accordance with the provisions set out in National Grid NTS's Entry Capacity Release (ECR) Statement.

QSEC auctions take place annually in March.

### NTS Entry Capacity Retention Charges

Entry Capacity Substitution (ECS) is a process by which National Grid Gas moves unsold non-incremental Obligated Entry Capacity from one Aggregated System Entry Point (ASEP) to meet the demand for incremental Obligated Entry Capacity at a different ASEP. A "retainer" as an annual product can be taken out at any ASEP with unsold Capacity. When requested ahead of the Quarterly System Entry Capacity (QSEC) auction, the

retainer allows the specified volume of Capacity to be excluded from the substitution process during the QSEC or in any other QSEC auction during the next twelve months.

The costs of taking out a retainer on Entry Capacity may be refunded to the party that takes out a retainer if that Capacity is subsequently purchased by any user in subsequent QSEC or AMSEC auctions, as detailed by the Entry Capacity Substitution (ECS) Methodology Statement.

The retainer charge is given in Table 1 and is applicable to all ASEPs.

**Table 1 Retainer Charge**

<b>Invoice</b>	<b>Charge Code</b>
ADK	QUC

<b>Charge per unit of Entry Capacity retained</b>	<b>0.2922</b> pence per kWh of Entry Capacity retained (equates to 0.0001 p/kWh/d for 32 quarters).
---	--

## Monthly System Entry Capacity

National Grid NTS offers two monthly Capacity products – Monthly System Entry Capacity (Firm) (MSEC) and the Rolling Monthly (Firm) Trade & Transfer System Entry Capacity (RMTNTSEC) auction.

For each of the System Entry points MSEC is allocated by auction for a period no more than 18 months ahead of the period of use. The maximum quantities to be offered in MSEC allocations are also set out in Appendix B of the current Transmission Transportation Charging Statement. MSEC auctions offer monthly tranches of Firm Capacity and are held in respect of each Aggregate System Entry Point (ASEP). Capacity is allocated in respect of each bid in descending price order starting at the highest bid until all monthly System Entry Capacity has been allocated or all valid bids have been considered. Successful bidders are liable to pay the bid price of each accepted or part accepted bid.

Annual Monthly System Entry Capacity (AMSEC) auctions take place annually in February for Capacity from the April of that year for 18 months.

Following the final AMSEC auction in which Capacity is offered for the Capacity year any remaining quantities of Entry Capacity can be purchased in the RMTNTSEC auction. The RMTNTSEC auction is conducted within the Capacity year and facilitates trade and transfer of Entry Capacity. The quantities offered are any unsold baseline Capacity carried over from the AMSEC allocations and any Capacity surrendered during the rolling monthly surrender process. Allocations will be completed by the 3rd business day proceeding the last business day of each calendar month. The Capacity offered and subsequently allocated will be applicable for the following month. For unsold and surrendered Capacity sold, allocations are based on a pay as bid basis but for specific allocations rules please refer to section B2.3 of the UNC.

The method that National Grid will use to facilitate the transfer of unsold, or the trade of sold, NTS Firm Entry Capacity from one ASEP to another is set out in the Entry Capacity Transfer and Trades Methodology Statement.

The lowest price that can be accepted in an MSEC allocation is the reserve price as set out in Table 4.

## Daily System Entry Capacity

National Grid NTS offers two daily Capacity products – a Firm Daily System Entry Capacity service (DSEC) and a Daily Interruptible System Entry Capacity service (DISEC). Both services are offered through an auction process and are subject to minimum reserve prices. Successful bidders are liable to pay the bid price of each accepted or part accepted bid. Capacity is allocated, in respect of each bid, in descending price order until all Capacity has been allocated or all valid bids have been considered.

The allocation of DSEC is initiated before the gas day and is repeated at intervals through to 02:00 hours on the gas day. Shippers may have up to 20 bids on the system at any one time. DSEC availability is defined in the UNC as the amount by which System Entry Capacity exceeds Firm System Entry Capacity held by shippers plus any additional Daily NTS Entry Capacity that National Grid NTS may choose to make available for the Day.

DISEC is allocated by means of a single auction that is held on the day before the gas day. Shippers may submit up to 20 applications for this Capacity in respect of each ASEP.

DISEC consists of any unutilised Firm booked Capacity on a day. National Grid NTS determines the availability of Capacity after consideration of the daily allocation levels at each ASEP on the day before the gas day. If necessary, National Grid NTS may scale back DISEC entitlements.

## Additional Discretionary Release Mechanism for NTS Entry Capacity (DRSEC)

There is an additional Capacity release mechanism which allows National Grid to invite applications for monthly (up to a maximum of 12 months) or, daily (up to a maximum of seven consecutive days) Entry Capacity outside of the existing auction mechanisms. The timing of such invitations and the quantities of Entry Capacity offered are at the sole discretion of National Grid. This would be mainly for discretionary Entry Capacity (in addition to baselines) but under certain circumstances may involve small amounts of unsold obligated Capacity. Discretionary Release System Entry Capacity (DRSEC) released via auction is subject to the prevailing MSEC reserve price and available for a period of no more than one Capacity year.

## Entry Capacity Reserve Prices

All System Entry Capacity auctions are subject to reserve prices.

Daily reserve prices are calculated by applying the following discounts to the MSEC Capacity prices: Day Ahead Daily System Entry Capacity (DADSEC) 33.3%, Within Day Daily System Entry Capacity (WDDSEC) 100%, Daily Interruptible System Entry Capacity (DISEC) 100%.

The invoice codes and reserve prices applicable to QSEC, MSEC and DSEC sold before the day are shown in Table 2 and Table 4, respectively.

For DSEC sold on the day and DISEC the reserve price is zero.

**Table 2 Invoice Codes NTS Entry Capacity**

Service	Invoice	Charge Code
QSEC	NTE	LTC
MSEC	NTE	MEC
DSEC	NTE	DFC
DISEC	NTE	DIC

## PARCA Entry Weighted Average Price

The calculation of the Entry PARCA Security Amount is calculated based on the weighted average price of the registered quarterly NTS Entry Capacity Reserve Prices.



These prices are used in the calculation for the PARCA Security Amount as part of the PARCA application only. The Weighted Average Capacity Prices for Entry are given in Table 3.

**Table 3 Weighted Average Capacity Price for PARCA Security Amount from 1 October 2018**

	Rate p/kWh/day
Entry Weighted Average Price	0.0112

**Table 4 Entry Capacity Reserve Prices for Capacity for use from 1 October 2018**

<b>MSEC Reserve Prices pence per kWh per day</b>		
<b>Entry Point</b>	<b>Y</b>	<b>Y+1</b>
<b>Coastal Terminals &amp; LNG Importation</b>	<b>From 1 Oct 18 to 30 Sep 19</b>	<b>From 1 Oct 19 to 30 Sep 20</b>
Bacton UKCS	0.0088	0.0090
Barrow	0.0001	0.0008
Easington & Rough	0.0158	0.0141
Isle of Grain	0.0081	0.0070
Milford Haven	0.0225	0.0227
St Fergus	0.0490	0.0508
Teesside	0.0084	0.0084
Theddlethorpe	0.0156	0.0141
<b>Onshore Fields and Connections</b>		
Burton Point	0.0001	0.0001
Hatfield Moor	0.0030	0.0032
Hole House Farm	0.0001	0.0001
Wytch Farm	0.0001	0.0001
<b>Storage</b>		
Barton Stacey	0.0001	0.0001
Canonbie	0.0017	0.0020
Caythorpe	0.0116	0.0118
Cheshire	0.0001	0.0002
Dynevor Arms	0.0098	0.0088
Fleetwood	0.0001	0.0001
Garton	0.0140	0.0125
Glenmavis	0.0118	0.0122
Hatfield Moor	0.0030	0.0032
Hornsea	0.0124	0.0135
Partington	0.0001	0.0001
Avonmouth	0.0001	0.0001
<b>Biomethane Plant</b>		
Murrow <sup>1</sup>	0.0001	-

<sup>1</sup> Subject to Ofgem's Notice dated 12 December, Murrow Entry Point will be effective in National Grid's Gas Transporter Licence from the 7 February 2019.

<b>DSEC Reserve Price, Pence per kWh per day</b>	
<b>Entry Point</b>	
<b>Coastal Terminals &amp; LNG Importation</b>	<b>from 1 Oct 18 to 30 Sep 19</b>
Bacton UKCS	0.0059
Barrow	0.0001
Easington&Rough	0.0105
Isle of Grain	0.0054
Milford Haven	0.0150
St Fergus	0.0327
Teesside	0.0056
Theddlethorpe	0.0104
<b>Onshore Fields and Connections</b>	
Burton Point	0.0001
Hatfield Moor	0.0020
Hole House Farm	0.0001
Wytch Farm	0.0001
<b>Storage</b>	
Barton Stacey	0.0001
Canonbie	0.0011
Caythorpe	0.0077
Cheshire	0.0001
Dynevor Arms	0.0065
Fleetwood	0.0001
Garton	0.0093
Glenmavis	0.0079
Hatfield Moor	0.0020
Hornsea	0.0001
Partington	0.0083
Avonmouth	0.0001
<b>Biomethane Plant</b>	
Murrow	0.0001

## Constrained LNG

Shippers that book the constrained Liquefied Natural Gas (LNG) storage service, available from the LNG storage site at Avonmouth, undertake an obligation to provide transmission support gas to National Grid NTS on days of very high demand. In recognition of this, shippers receive a credit in respect of minimum booked storage deliverability. Full details of associated rules are available on request from National Grid NTS's LNG business unit. The credit, shown in Table 5, is deducted from the charge for the storage service.

**Table 5 Constrained LNG Credit**

	<b>Credit Rate based on Capacity</b>	<b>Credit Rate based on Annual Shipper Storage Space Volume</b>
	<b>Pence per registered kWh per day</b>	<b>p/kWh</b>
	<b>From 1 April 2019</b>	
Avonmouth LNG	0.0000	0.0000

## NTS TO Exit Capacity Charges

There are four Capacity products available – Enduring Annual NTS Exit (Flat) Capacity, Annual NTS Exit (Flat) Capacity, Daily Firm NTS Exit (Flat) Capacity and Daily Off-Peak NTS Exit (Flat) Capacity. The Enduring and Enduring Annual products will be released by means of application windows, whilst the Daily Firm and Off-Peak products will be released through auctions. Details of Exit Capacity applications and auctions can be obtained from National Grid Commercial Operations on **01926 654057** and via email at [capacityauctions@nationalgrid.com](mailto:capacityauctions@nationalgrid.com).

Reserve prices for the Daily Firm Capacity auctions are equal to the Enduring Annual/Annual Capacity charges. The reserve price for Off-Peak Daily Capacity, which is auctioned on a daily day ahead basis, is zero.

The NTS TO Exit (Flat) Capacity invoice codes and charges are given in Table 6 and Table 8, respectively. Please note the **indicative NTS Exit (Flat) Capacity charges** for 2019/20 to 2021/22 are available on our web site in a separate document- [Indicative Exit Capacity rates](#)

**Table 6 Invoice Codes NTS Exit Capacity**

Service	Invoice	Charge Code
Enduring Annual	NXC	NXA
Annual	NXC	NXA
Daily Firm	NXC	NXD
Daily Off-Peak	NXC	NXO

## PARCA Exit Weighted Average Price

The calculation of the Exit PARCA Security Amount is calculated based on the weighted average price of the registered annual and enduring NTS Exit (Flat) capacity for the applicable year.

These prices are used in the calculation for the PARCA Security Amount as part of the PARCA application only.

The Weighted Average Capacity Prices for Exit Capacity is given Table 7.

**Table 7 Weighted Average Capacity Price for PARCA Security Amount from 1 October 2018**

	Rate p/kWh/day
Exit Weighted Average Price	0.0078

**Table 8 NTS TO Exit (Flat) Capacity Charges from 1 October 2018, p/kWh/d**

<b>Offtake Point</b>	<b>Type of Offtake</b>	<b>2018/19 Final pence/kWh/day</b>
Bacton	GDN (EA)	0.0001
Brisley	GDN (EA)	0.0001
Cambridge	GDN (EA)	0.0065
Great Wilbraham	GDN (EA)	0.0054
Matching Green	GDN (EA)	0.0104
Peterborough Eye (Tee)	GDN (EA)	0.0053
Roudham Heath	GDN (EA)	0.0008
Royston	GDN (EA)	0.0076
Whitwell	GDN (EA)	0.0100
West Winch	GDN (EA)	0.0017
Yelverton	GDN (EA)	0.0001
Alrewas (EM)	GDN (EM)	0.0158
Blaby	GDN (EM)	0.0115
Blyborough	GDN (EM)	0.0017
Caldecott	GDN (EM)	0.0086
Thornton Curtis (DN)	GDN (EM)	0.0001
Drointon	GDN (EM)	0.0171
Gosberton	GDN (EM)	0.0030
Kirkstead	GDN (EM)	0.0004
Market Harborough	GDN (EM)	0.0100
Silk Willoughby	GDN (EM)	0.0020
Sutton Bridge	GDN (EM)	0.0039
Tur Langton	GDN (EM)	0.0102
Walesby	GDN (EM)	0.0001
Asselby	GDN (NE)	0.0001
Baldersby	GDN (NE)	0.0012
Burley Bank	GDN (NE)	0.0037
Ganstead	GDN (NE)	0.0001
Pannal	GDN (NE)	0.0043
Paull	GDN (NE)	0.0001
Pickering	GDN (NE)	0.0008
Rawcliffe	GDN (NE)	0.0001
Towton	GDN (NE)	0.0021
Bishop Auckland	GDN (NO)	0.0001
Coldstream	GDN (NO)	0.0001
Corbridge	GDN (NO)	0.0001
Cowpen Bewley	GDN (NO)	0.0001
Elton	GDN (NO)	0.0001
Guyzance	GDN (NO)	0.0001
Humbleton	GDN (NO)	0.0001
Keld	GDN (NO)	0.0077
Little Burdon	GDN (NO)	0.0001
Melkinthorpe	GDN (NO)	0.0068
Saltwick Pressure Controlled	GDN (NO)	0.0001
Saltwick Volumetric Controlled	GDN (NO)	0.0001

<b>Offtake Point</b>	<b>Type of Offtake</b>	<b>2018/19 Final pence/kWh/day</b>
Thrintoft	GDN (NO)	0.0004
Towlaw	GDN (NO)	0.0013
Wetheral	GDN (NO)	0.0038
Horndon	GDN (NT)	0.0070
Luxborough Lane	GDN (NT)	0.0100
Peters Green	GDN (NT)	0.0105
Peters Green South Mimms	GDN (NT)	0.0105
Winkfield (NT)	GDN (NT)	0.0210
Audley (NW)	GDN (NW)	0.0214
Blackrod	GDN (NW)	0.0179
Ecclestone	GDN (NW)	0.0254
Holmes Chapel	GDN (NW)	0.0230
Lupton	GDN (NW)	0.0109
Malpas	GDN (NW)	0.0238
Mickle Trafford	GDN (NW)	0.0252
Partington	GDN (NW)	0.0214
Samlesbury	GDN (NW)	0.0162
Warburton	GDN (NW)	0.0211
Weston Point	GDN (NW)	0.0264
Aberdeen	GDN (SC)	0.0001
Armadale	GDN (SC)	0.0001
Balgray	GDN (SC)	0.0001
Bathgate	GDN (SC)	0.0001
Burnhervie	GDN (SC)	0.0001
Broxburn	GDN (SC)	0.0001
Careston	GDN (SC)	0.0001
Drum	GDN (SC)	0.0001
St Fergus	GDN (SC)	0.0001
Glenmavis	GDN (SC)	0.0001
Hume	GDN (SC)	0.0001
Kinknockie	GDN (SC)	0.0001
Langholm	GDN (SC)	0.0008
Lauderhill	GDN (SC)	0.0001
Lockerbie	GDN (SC)	0.0001
Netherhowcleugh	GDN (SC)	0.0001
Pitcairngreen	GDN (SC)	0.0001
Soutra	GDN (SC)	0.0001
Stranraer	GDN (SC)	0.0001
Farningham	GDN (SE)	0.0072
Farningham B	GDN (SE)	0.0072
Shorne	GDN (SE)	0.0059
Tatsfield	GDN (SE)	0.0093
Winkfield (SE)	GDN (SE)	0.0210
Braishfield A	GDN (SO)	0.0254
Braishfield B	GDN (SO)	0.0254
Crawley Down	GDN (SO)	0.0238

<b>Offtake Point</b>	<b>Type of Offtake</b>	<b>2018/19 Final pence/kWh/day</b>
Hardwick	GDN (SO)	0.0147
Ipsden	GDN (SO)	0.0186
Ipsden 2	GDN (SO)	0.0186
Mappowder	GDN (SO)	0.0209
Winkfield (SO)	GDN (SO)	0.0210
Aylesbeare	GDN (SW)	0.0235
Cirencester	GDN (SW)	0.0106
Coffinswell	GDN (SW)	0.0268
Easton Grey	GDN (SW)	0.0112
Evesham	GDN (SW)	0.0069
Fiddington	GDN (SW)	0.0054
Ilchester	GDN (SW)	0.0183
Kenn	GDN (SW)	0.0248
Littleton Drew	GDN (SW)	0.0122
Lyneham (Choakford)	GDN (SW)	0.0301
Pucklechurch	GDN (SW)	0.0132
Ross (SW)	GDN (SW)	0.0019
Seabank (DN)	GDN (SW)	0.0155
Alrewas (WM)	GDN (WM)	0.0158
Aspley	GDN (WM)	0.0194
Audley (WM)	GDN (WM)	0.0214
Austrey	GDN (WM)	0.0150
Leamington	GDN (WM)	0.0101
Lower Quinton	GDN (WM)	0.0082
Milwich	GDN (WM)	0.0179
Ross (WM)	GDN (WM)	0.0019
Rugby	GDN (WM)	0.0114
Shustoke	GDN (WM)	0.0164
Stratford-upon-Avon	GDN (WM)	0.0084
Maelor	GDN (WN)	0.0248
Dowlais	GDN (WS)	0.0001
Dyffryn Clydach	GDN (WS)	0.0001
Gilwern	GDN (WS)	0.0001
Abson (Seabank Power Station phase I)	DC	0.0132
Air Products (Teesside)	DC	0.0001
Apache (Sage Black Start)	DC	0.0001
Bacton (Great Yarmouth)	DC	0.0001
Barking (Horndon)	DC	0.0070
Barrow (Black Start)	DC	0.0066
Billingham ICI (Terra Billingham)	DC	0.0001
Bishop Auckland (test facility)	DC	0.0001
Blackbridge (Pembroke PS)	DC	0.0001
Blackness (BP Grangemouth)	DC	0.0001
Blyborough (Brigg)	DC	0.0028
Blyborough (Cottam)	DC	0.0017
Brine Field (Teesside) Power Station	DC	0.0001

<b>Offtake Point</b>	<b>Type of Offtake</b>	<b>2018/19 Final pence/kWh/day</b>
Burton Point (Connahs Quay)	DC	0.0267
Caldecott (Corby Power Station)	DC	0.0090
Carrington (Partington) Power Station	DC	0.0214
Centrax Industrial	DC	0.0265
Cockenzie Power Station	DC	0.0001
Coryton 2 (Thames Haven) Power Station	DC	0.0067
Deeside	DC	0.0267
Didcot PS	DC	0.0189
Drakelow Power Station	DC	0.0152
Eastoft (Keadby Blackstart)	DC	0.0015
Eastoft (Keadby)	DC	0.0015
Eggborough PS <sup>2</sup>	DC	0.0009
Enron Billingham	DC	0.0001
Epping Green (Enfield Energy, aka Brimsdown)	DC	0.0115
Ferny Knoll (AM Paper)	DC	0.0181
Fordoun CNG Station	DC	0.0001
Glasgowforest	DC	0.0001
Goole (Guardian Glass)	DC	0.0001
Gowkhall (Longannet)	DC	0.0001
Grain Power Station	DC	0.0043
Harwarden (Shotton, aka Shotton Paper)	DC	0.0266
Hatfield Power Station	DC	0.0001
Hollingsgreen (Hays Chemicals)	DC	0.0228
Keadby 2 Power Station <sup>2</sup>	DC	0.0015
Kinneil CHP	DC	0.0001
Langage Power Station	DC	0.0301
Marchwood Power Station	DC	0.0257
Medway (aka Isle of Grain Power Station, NOT Grain Power)	DC	0.0044
Middle Stoke (Damhead Creek, aka Kingsnorth Power Station)	DC	0.0043
Palm Paper	DC	0.0021
Peterborough (Peterborough Power Station)	DC	0.0045
Phillips Petroleum, Teeside	DC	0.0001
Pickmere (Winnington Power, aka Brunner Mond)	DC	0.0221
Roosecote (Roosecote Power Station)	DC	0.0066
Rosehill (Saltend Power Station)	DC	0.0001
Ryehouse	DC	0.0121
Saddle Bow (Kings Lynn)	DC	0.0020
Saltend BPHP (BP Saltend HP)	DC	0.0001

<sup>2</sup> Subject to Ofgem's Notice dated 12 December, Eggborough PS and Keadby 2 Power Station will be effective in National Grid's Gas Transporter Licence from the 7 February 2019.



<b>Offtake Point</b>	<b>Type of Offtake</b>	<b>2018/19 Final pence/kWh/day</b>
Sandy Lane (Blackburn CHP, aka Sappi Paper Mill)	DC	0.0167
Seabank (Seabank Power Station phase II)	DC	0.0154
Seal Sands TGPP	DC	0.0001
Sellafield Power Station	DC	0.0115
Shellstar (aka Kemira, not Kemira CHP)	DC	0.0259
Shotwick (Bridgewater Paper)	DC	0.0263
Spalding 2 (South Holland) Power Station	DC	0.0034
St. Fergus (Peterhead)	DC	0.0001
St. Fergus (Shell Blackstart)	DC	0.0001
St. Fergus Segal	DC	0.0001
St. Neots (Little Barford)	DC	0.0100
Stallingborough (phase 1 and 2)	DC	0.0001
Stanford Le Hope (Coryton)	DC	0.0067
Staythorpe PH1 and PH2	DC	0.0052
Sutton Bridge Power Station	DC	0.0037
Teesside (BASF, aka BASF Teesside)	DC	0.0001
Teesside Hydrogen	DC	0.0001
Terra Nitrogen (aka ICI, Terra Severnside)	DC	0.0152
Thornton Curtis (Humber Refinery, aka Immingham)	DC	0.0001
Thornton Curtis (Killingholme)	DC	0.0001
Tilbury Power Station	DC	0.0062
Tonna (Baglan Bay)	DC	0.0001
Trafford Power Station	DC	0.0214
Upper Neeston (Milford Haven Refinery)	DC	0.0001
West Burton PS	DC	0.0017
Weston Point (Castner Kelner, aka ICI Runcorn)	DC	0.0264
Weston Point (Rocksavage)	DC	0.0264
Willington Power Station	DC	0.0170
Wragg Marsh (Spalding)	DC	0.0034
Wyre Power Station	DC	0.0153
Zeneca (ICI Avecia, aka 'Zenica')	DC	0.0001
Avonmouth Max Refill	STORAGE SITE	0.0154
Bacton (Baird)	STORAGE SITE	0.0001
Deborah Storage (Bacton)	STORAGE SITE	0.0001
Barrow (Bains)	STORAGE SITE	0.0066
Barrow (Gateway)	STORAGE SITE	0.0066
Barton Stacey Max Refill (Humbly Grove)	STORAGE SITE	0.0235
Caythorpe	STORAGE SITE	0.0001
Cheshire (Holford)	STORAGE SITE	0.0221
Dynevor Max Refill	STORAGE SITE	0.0001
Rough Max Refill	STORAGE SITE	0.0001
Garton Max Refill (Aldbrough)	STORAGE SITE	0.0001
Glenmavis Max Refill	STORAGE SITE	0.0001
Hatfield Moor Max Refill	STORAGE SITE	0.0010

<b>Offtake Point</b>	<b>Type of Offtake</b>	<b>2018/19 Final pence/kWh/day</b>
Hole House Max Refill	STORAGE SITE	0.0227
Hornsea Max Refill	STORAGE SITE	0.0001
Partington Max Refill	STORAGE SITE	0.0214
Stublach (Cheshire)	STORAGE SITE	0.0221
Saltfleetby Storage (Theddlethorpe)	STORAGE SITE	0.0001
Hill Top Farm (Hole House Farm)	STORAGE SITE	0.0227

## NTS Interconnection Point Capacity Charges

From 1 November 2015 there are new UNC terms which are applicable for Interconnection Points (IPs). For both Entry and Exit Capacity there are a number of new auctions as specified in European Interconnection Document (EID) Section B – Capacity.

### NTS Interconnection Point (IP) Capacity

There are two different types of auctions, as specified in EID Section B:

- Ascending Clock Auctions, which are for the Annual Yearly, Annual Quarterly and Rolling Monthly
- Uniform Price Auctions, which are for the Rolling Day Ahead and Within Day

All auctions have reserve prices which are applicable for the specific auction.

For the Ascending Clock Auctions there is also an applicable Large Price Step which is the greater of 5% of the applicable reserve price or 0.0001 p/kWh/day. Each small price step is 1/5th of an applicable Large Price Step.

### Entry Interconnection Point (IP) Auctions

#### NTS IP Entry Annual Yearly and Entry Annual Quarterly Capacity

NTS IP Entry Annual Yearly auctions take place in July and the Entry Annual Quarterly Capacity auctions take place in on the first Mondays of August, November, February and May. The Reserve prices are given in Table 9.

**Table 9 Reserve Prices Interconnection Points (IPs) for the Entry Annual Yearly and Annual Quarterly auctions, Pence per kWh per day**

<b>Reserve Prices, IPs for the Entry Annual Yearly and Annual Quarterly Auctions</b>	
<b>Interconnector Points (IPs)</b>	<b>1 Oct 18 to 30 Sep 19</b>
<b>Bacton IP</b>	0.0089

#### NTS IP Entry Rolling Monthly Capacity

IP Rolling Monthly Capacity Reserve Prices are produced at the same time and using the same methodology as the MSEC prices. The Reserve Prices are given in Table 10.

**Table 10 Reserve Prices Interconnection Points (IPs) for the Entry Rolling Monthly auctions, Pence per kWh per day**

<b>Reserve Prices, IPs for Entry Rolling Monthly Auctions</b>	
<b>Interconnector Points (IPs)</b>	<b>1 Oct 18 to 30 Sep 19</b>
<b>Bacton IP</b>	0.0088
<b>Moffat Interconnector<sup>3</sup></b>	0.0055

<sup>3</sup> The Moffat reserve price is for use in overrun calculations only, no Firm Capacity will be released.

## NTS IP Entry Rolling Day Ahead Capacity

IP Rolling Day Ahead Capacity Reserve Prices are produced at the same time and using the same methodology as the DSEC prices. The Rolling Day Ahead Reserve Prices have a 33.3% discount applied to the IP Rolling Monthly Capacity Prices. The Reserve Prices are given in Table 11.

**Table 11 Reserve Prices Interconnection Points (IPs) for the Entry Rolling Day Ahead auctions, Pence per kWh per day**

<b>Reserve Prices, IPs for Entry Rolling Day Ahead Auctions</b>	
<b>EU Interconnector Points (IPs)</b>	<b>1 Oct 18 to 30 Sep 19</b>
<b>Bacton IP</b>	0.0059
<b>Moffat Interconnector</b>	0.0037

The Reserve Price for IP Entry Interruptible Rolling Day Ahead Capacity auction, which is auctioned on a daily day ahead basis, is zero.

## NTS Interconnection Point (IP) Entry Within Day Capacity Prices

The reserve price for IP Entry Within Day Capacity auction, which is auctioned after the day ahead auctions, is zero.

### Invoice Codes IP Entry Capacity

IPY	IP LONG TERM FIRM	NTE
IPQ	IP QUARTERLY FIRM	NTE
IPM	IP MONTHLY FIRM	NTE
IPD	IP DAILY FIRM	NTE
IPI	IP DAILY INTERRUPTIBLE	NTE

## Exit Interconnection Point (IP) Auctions

### NTS IP Exit Annual Yearly and Exit Annual Quarterly Capacity

The IP Exit Annual Yearly auctions take place in July and Exit Annual Quarterly auctions take place on the first Monday of August, November, February and May for Capacity from the following October to September. The final Reserve Prices for IP Exit Annual Yearly and Annual Quarterly Auction for 2018/19 were produced in May 2018 and are given in Table 12. Reserve Prices for IP Exit Annual Quarterly Auction are given in Table 13.

**Table 12 Reserve Prices, Interconnection Points (IPs) for the Annual Yearly auctions, Pence per kWh per day**

<b>Reserve Prices, Interconnection Points (IPs) for the Exit Annual Yearly and Auctions</b>	
<b>Interconnector Points (IPs)</b>	<b>1 Oct 18 to 30 Sep 19</b>
<b>Bacton IUK</b>	0.0001
<b>Bacton BBL</b>	0.0001
<b>Moffat Interconnector</b>	0.0001

**Table 13 Reserve Prices, Interconnection Points (IPs) for the Annual Quarterly auctions, Pence per kWh per day**

<b>Reserve Prices, Interconnection Points (IPs) for the Exit Annual Quarterly Auctions</b>	
<b>Interconnector Points (IPs)</b>	<b>1 Oct 18 to 30 Sep 19</b>
<b>Bacton IUK</b>	0.0001
<b>Bacton BBL</b>	0.0001
<b>Moffat Interconnector</b>	0.0001

#### **NTS IP Exit Rolling Monthly, Exit Rolling Day Ahead, Exit Within Day Capacity**

Prices are produced at the same time as the NTS Exit Capacity charges.

Reserve Prices for the Exit Rolling Monthly, Exit Rolling Day Ahead, Exit Within Day Capacity are the same rates and given in Table 14.

The Reserve Price for IP Interruptible Rolling Day Ahead Capacity auction, which is auctioned on a daily day ahead basis, is zero.

**Table 14 Reserve Prices, Interconnection Points (IPs) for the Exit Rolling Monthly, Day Ahead and Within Day auctions, Pence per kWh per day**

<b>Reserve Prices, IPs for the Exit Rolling Monthly, Day Ahead and Within Day auctions, Pence per kWh per day</b>	
<b>EU Interconnector Points (IPs)</b>	<b>1 Oct 18 to 30 Sep 19</b>
<b>Bacton IUK</b>	0.0001
<b>Bacton BBL</b>	0.0001
<b>Moffat Interconnector</b>	0.0001

Details of Exit Capacity applications and auctions can be obtained from National Grid Capacity Auctions on 01926 654058 and via email at [capcityauctions@nationalgrid.com](mailto:capcityauctions@nationalgrid.com).

**Invoice Codes IP Exit Capacity**

<b>Service</b>	<b>Invoice</b>	<b>Charge Code</b>
<b>Annual Firm</b>	NXC	EIL
<b>Rolling Monthly</b>	NXC	EIR
<b>Daily</b>	NXC	EID

## NTS Commodity Charges

NTS Commodity charges are payable on gas allocated to shippers at Exit and Entry. Commodity charges on gas flows at NTS Storage facilities, other than on the amount of gas utilised as part of the operation of any NTS Storage facility, known as storage “own use” gas are zero. The NTS Commodity charges are uniform rates, independent of Entry or Exit points.

### NTS TO Entry Commodity Charge

The NTS TO Entry Commodity charge may be levied where an under-recovery of TO Entry revenue against the Entry target level is forecast. The charge is levied on entry flows only at Entry terminals (but not storage facilities) and would address only a forecast TO revenue under-recovery that does not arise from NTS Exit Capacity charging. For the avoidance of doubt, the TO Entry Commodity rate would be set to zero where forecast Entry TO revenue is at, or above, the Entry revenue target level.

The rate is identified in the Commodity schedule given in Table 15.

### NTS TO Entry Commodity Charge Rebate

The TO Entry Commodity rebate mechanism has been introduced to reduce any TO over-recovery resulting from NTS Entry Capacity auctions. The process may be triggered at the end of the formula year based on the outcome of all NTS Entry Capacity auctions that represent a TO revenue stream. This mechanism will only be triggered if there remains a residual over-recovery amount after taking into account any revenue redistributed by the buy-back offset mechanism (as defined in 2.3.2 of Section Y (Charging Methodologies) in the Uniform Network Code (UNC) if this residual over-recovery is in excess of £1m (this equates to the minimum TO Entry Commodity charge of 0.0001 p/kWh).

### NTS TO Entry Commodity Charge Credit

The TO Entry Commodity credit mechanism, which represents a retrospective negative TO Entry Commodity charge, will be used if there remains a residual over-recovery amount after taking into account any revenue redistributed via the TO Entry Commodity rebate mechanism. Credits will be paid following the end of the formula year.

### NTS TO Exit Commodity Charge

A TO Exit (Flat) Commodity charge has been introduced to offset any under recovery arising from a shortfall between NTS Exit (Flat) Capacity charges and TO Exit allowed revenue. Any TO Exit over-recovery will be dealt with through the k mechanism for TO Exit.

The rate is identified in the Commodity schedule given in Table 15.

### NTS SO Commodity Charge

The NTS SO Commodity charge is a uniform rate, independent of Entry and Exit points, and is levied on both NTS Entry and NTS Exit flows.

The rate is identified in Table 15 below.

**Table 15 NTS Commodity Charges**

<b>Invoice</b>	<b>Charge Code</b>
ECO	NCE

	<b>Pence per kWh</b>
<b>TO Entry</b>	0.0458
<b>SO Entry</b>	0.0149
<b>Combined Entry Rate</b>	0.0607

<b>Invoice</b>	<b>Charge Code</b>
COM	NCO

	<b>Pence per kWh</b>
<b>TO Exit</b>	0.0236
<b>SO Exit</b>	0.0149
<b>Combined Exit Rate</b>	0.0385

Both the NTS Entry Commodity (NCE) and NTS Exit Commodity (NCO) will be invoiced using the combined rates.

### **NTS Optional Commodity Charge**

The NTS Optional Commodity charge (known as the shorthaul rate) is available as an alternative to both the NTS Entry / Exit SO and TO Commodity charges. It may be attractive for large daily metered sites located near to Entry terminals, since the NTS SO and TO Commodity charges are not distance-related and can result in a relatively high charge for short distance transportation. This could give perverse economic incentives to build dedicated pipelines bypassing the NTS, resulting in an inefficient outcome for all system users.

The Optional Commodity charge applies in respect of gas delivered from the local specified terminal. The charge is site specific and is calculated by the function shown in Table 16 as given in the UNC Section Y.



**Table 16 NTS Optional Commodity Charge**

Invoice	Charge Code
COM	880

Pence per kWh
$1203 \times [ (M)^{0.834} ] \times D + 363 \times (M)^{0.654}$

where **D** is the direct distance from the site or non-National Grid NTS pipeline to the elected terminal in km and **M** is Maximum NTS Exit Point Offtake Rate (MNEPOR) converted into kWh/day at the site. Note that ^ means “to the power of ...”

Further information on NTS Optional Commodity charge, please contact Karin Elmhirst on 01926 655540 or email [box.transmissioncapacityandcharging@nationalgrid.com](mailto:box.transmissioncapacityandcharging@nationalgrid.com).

### Compression Charge

An additional charge is payable where gas is delivered into the National Grid NTS system at a lower pressure than that required, reflecting the need for additional compression. For gas delivered at the North Sea Midstream Partners (NSMP) sub-terminal at St. Fergus, a compression charge is payable at the rate identified in Table 17.

**Table 17 St. Fergus Compression Charge**

Invoice	Charge Code
CPN	900

	Pence per kWh
Compression	0.0170

## Other Charges

Other Charges include DN Pension Deficit charges, metering charges and administration charges at Connected System Exit Points, Shared Supply Meter Points and Interconnectors.

### DN Pension Deficit Charge

The share of the pension deficit cost allowance associated with former employees of the DNs is recovered via the DN Pension Deficit Charges levied on each of the DNs on a monthly basis. The monthly charges for the financial year 2019/20 are shown in Table 18 DN Pension Deficit Charge below.

**Table 18 DN Pension Deficit Charge**

<b>Invoice</b>	<b>Charge Code</b>	
<b>DNP</b>	<b>N23</b>	
<b>DN</b>	<b>Monthly Charge, £</b>	<b>Per Annum, £m</b>
<b>East of England</b>	-	-
<b>London</b>	-	-
<b>North West</b>	-	-
<b>West Midlands</b>	-	-
<b>North of England</b>	618,905	7.43
<b>Scotland</b>	427,455	5.13
<b>South of England</b>	989,932	11.88
<b>Wales and the West</b>	592,783	7.11

### Metering Charges

Table 19 below shows a schedule of National Grid NTS's metering charges to apply for the financial year 2019/20. National Grid NTS provides metering charges for those services that it is obliged to offer under its Gas Transporter Licence coupled with those services that are currently offered for historical / legacy purposes i.e. where a Datalogger or Converter has been fitted at an NTS Site or there is a maintenance requirement for an NTS High Pressure Meter Installation.

**Table 19 Annual Rental Charges****High Pressure Metering Installations (>7 barg)**

<b>Capacity (scmh)</b>	<b>&lt; 10,192</b>	<b>&gt;=10,192</b>	<b>&gt;=14,906</b>	<b>&gt;=25,878</b>	<b>&gt;=36,866</b>	<b>&gt;=63,524</b>
		<b>&lt;14,906</b>	<b>&lt;25,878</b>	<b>&lt;36,866</b>	<b>&lt;63,524</b>	
<b>£ per annum Maintenance</b>	£15,381.37	£16,320.33	£18,458.52	£19,211.82	£21,090.95	£27,242.27
<b>Pence per day Maintenance</b>	4,214.0746	4,471.3229	5,057.1276	5,263.5133	5,778.3421	7,463.6352

**Rotary and Turbine meters**

<b>Capacity (scmh)</b>	<b>Rotary &gt;=792&lt;1,358</b>	<b>Turbine &lt;283</b>
<b>£ per annum Maintenance</b>	£386.35	£929.21
<b>Pence per day Maintenance</b>	105.8501	254.5792

**Volume converters (Correctors)**

	<b>Pence per day</b>	<b>£ per annum</b>
<b>Provision</b>	49.9183	£182.20
<b>Installation</b>	20.1226	£73.45
<b>Maintenance</b>	45.3554	£165.55

Charges are only applied only where a Volume Converter has been installed. Any requests for a Volume Converter to be fitted will be treated in accordance with National Grid's GT Licence and will be quoted on an individual basis.

**Dataloggers**

	<b>Pence per day</b>	<b>£ per annum</b>
<b>Provision</b>	12.4164	£45.32
<b>Installation</b>	55.3919	£202.18
<b>Maintenance</b>	83.7877	£305.83

The above charges are only applied where a Datalogger has been installed.

**Connected System Exit Points (CSEPs)**

Please note that CSEP administration charge ceased to apply on 1 June 2017 at the implementation of Xoserve's UKLink replacement (Project Nexus).

## Shared Supply Meter Point Allocation Arrangements

National Grid NTS offers an allocation service for daily metered supply points with AQs of more than 58,600 MWh per annum. This allows up to four (six for VLDMCs) shippers / suppliers to supply gas through a shared supply meter point.

The allocation of daily gas flows between the shippers / suppliers can be done either by an appointed agent or by National Grid NTS.

The administration charges which relate to these arrangements are shown in Table 20. Individual charges depend on the type of allocation service nominated and whether the site is telemetered or non-telemetered.

**Table 20 Shared Supply Meter Point Administration Charges (£ per shipper per supply point)**

Invoice	Charge Code
CAZ	884

Agent Service	Telemetered	Non-telemetered
Set-up charge	£107.00	£183.00
Shipper-shipper transfer charge	£126.00	£210.00
Daily charge	£2.55	£2.96
National Grid NTS Service	Telemetered	Non-telemetered
Set-up charge	£107.00	£202.00
Shipper-shipper transfer charge	£126.00	£210.00
Daily charge	£2.55	£3.05

## Allocation Arrangements at Interconnectors

The allocation charges that apply at interconnectors (GB-Ireland and UK-Continent) and apply for each supply point are shown in Table 21. Allocating daily gas flows between shippers / suppliers can be done either by an appointed agent or by National Grid NTS. The same set up charge applies in either case. The daily charge depends on whether the service is provided through an agent or not.

**Table 21 Allocation Charges at Interconnectors**

Invoice	Charge Code
CAZ	884

	Set up charge per shipper	Daily charge per shipper
Agent service	£141.70	£0.00
National Grid NTS service	£141.70	£0.00

## Administration Charges at Moffat

The following administration charges apply only to the GB-Ireland interconnector at Moffat. The charges, which vary if the service is provided via an agent or National Grid NTS, are detailed in Table 22 below.

**Table 22 Administration Charges for Moffat**

<b>Invoice</b>	<b>Charge Code</b>
<b>CAZ</b>	884

	<b>Daily charge per shipper</b>
<b>Agent service</b>	£0.00
<b>National Grid NTS service</b>	£0.00

The charges, with or without an agent, cover the operation of the flow control valve. In addition, the National Grid NTS service provides the Exit Flow Profile Notice (EPN). In the event that the appointed agent fails to provide an EPN to national Grid NTS, the following additional charge will apply: EPN Default Charge per shipper per event is **£0.00**.

## Appendix A NTS Non-Incremental Obligated Entry Capacity

Non-incremental Obligated Entry Capacity is the sum of the Licence Baseline Capacity adjusted for substitution and legacy TO Entry Capacity as shown in the tables below.

Table 23 below details the Licence baseline obligated Entry Capacity GWh/day identified in National Grid NTS's Transporters Licence and used as the basis for determination of minimum annual quantities to be offered after 1 April 2013<sup>4</sup>.

Table 24 and Table 25 show Entry Capacity Substitution and Legacy TO Entry Capacity, respectively.

**Table 23 Licence Baseline Entry Capacity (GWh/day) after 1 November 2015**

<b>NTS Entry Point</b>	<b>Type of Entry</b>	<b>Baseline Capacity GWh/d</b>
<b>Bacton UKCS</b>	Beach Terminal	485.6
<b>Bacton IP</b>	Interconnection Point	1297.8
<b>Barrow</b>	Beach Terminal	309.1
<b>Easington</b>	Beach Terminal	1,062.0
<b>Isle of Grain</b>	LNG Importation Terminal	218.0
<b>Milford Haven</b>	LNG Importation Terminal	0
<b>St Fergus</b>	Beach Terminal	1,670.7
<b>Teesside</b>	Beach Terminal	476.0
<b>Theddlethorpe</b>	Beach Terminal	610.7
<b>Burton Point</b>	Onshore Field	73.5
<b>Hatfield Moor (onshore)</b>	Onshore Field	0.3
<b>Hole House Farm</b>	Storage Site	131.6
<b>Wytch Farm</b>	Onshore Field	3.3
<b>Barton Stacey</b>	Storage Site	172.6
<b>Cheshire</b>	Storage Site	285.9
<b>Fleetwood</b>	Storage Site	0
<b>Garton</b>	Storage Site	420.0
<b>Glenmavis</b>	Storage Site	99.0
<b>Hatfield Moor (storage)</b>	Storage Site	25.0
<b>Hornsea</b>	Storage Site	175.0
<b>Partington</b>	Storage Site	215.0
<b>Avonmouth</b>	Storage Site	179.3

<sup>4</sup> On 1 November 2015 the Licence baseline changed for Bacton to split Bacton ASEP into Bacton UKCS and Bacton IP.

<b>NTS Entry Point</b>	<b>Type of Entry</b>	<b>Baseline Capacity GWh/d</b>
Dynevor Arms	Storage Site	49.0
Burton Agnes (Caythorpe)	Storage Site	0
Winkfield	Storage Site	0
Blyborough (Welton)	Storage Site	0
Tatsfield	Storage Site	0
Albury	Storage Site	0
Palmers Wood	Storage Site	0
Portland	Storage Site	0
Canonbie	Onshore Field	0
Moffat	Interconnection Point	0

**Table 24 Entry Capacity Substitution**

<b>NTS Entry Point</b>	<b>Date when substitution applies</b>	<b>Entry Capacity Substitution GWh/d</b>
Barrow	January 2015	30.91
Teesside	January 2015	-30.91

**Table 25 Legacy TO Entry Capacity**

<b>NTS Entry Point</b>	<b>Date applicable</b>	<b>Capacity GWh/d</b>
Milford Haven	April 2017	650
Milford Haven	April 2017	300
Isle of Grain	April 2017	235.4
Easington	April 2017	345
Hornsea	April 2017	58.1
Fleetwood	April 2017	650
Cheshire	April 2017	64.2
Cheshire	April 2017	192.6
Isle of Grain	October 2015	246.24
Caythorpe	October 2016	90
Hole House Farm	October 2016	165

## **Appendix B AMSEC Entry Capacity**

Obligated System Entry Capacity offered in Annual System Entry Capacity auctions is determined in accordance with National Grid NTS's Transporters Licence.

National Grid will conduct the MSEC auctions and will publish the quantity of System Entry Capacity being offered for each month in the Capacity Period in respect of each Aggregate System Entry Point along with reserve prices in an invitation letter to the community. The letter will also be sent by E-Mail and fax (business hours operational list) and will be posted on the National Grid web site under Gas/Operational Data/Capacity Auctions.



## Appendix C QSEC Entry Capacity

Obligated System Entry Capacity to be offered in the next Annual System Entry Capacity auctions is determined in accordance with National Grid NTS's Transporters Licence. For periods that are subject to a QSEC allocation, then supply can be further expanded in accordance with National Grid NTS's ECR statement.

National Grid will conduct the QSEC auctions and will publish the quantity of System Entry Capacity being offered for each month in the Capacity Period in respect of each Aggregate System Entry Point along with reserve prices in an invitation letter to the community. The letter will also be sent by E-Mail and fax (business hours operational list) and will be posted on the National Grid web site under Gas/Operational Data/Capacity Auctions.

## Appendix D QSEC Entry Capacity Step Prices 2019

Below are the Entry Capacity reserve prices together with the price steps for each level of incremental Capacity for use in the March 2019 auction of Quarterly System Entry Capacity (QSEC).

Pence/kWh/day

	Bacton Terminal UKCS	Barrow	Cheshire	Canonbie	Easington & Rough	Fleetwood	Garton	Isle of Grain	Milford Haven	St Fergus	Teesside	Theddlethorpe
<b>Obligated Level</b>	0.0104	0.0001	0.0006	0.0001	0.0164	0.0001	0.0137	0.0001	0.0240	0.0532	0.0091	0.0171
<b>2.5%</b>	0.0105	0.0002	0.0011	0.0019	0.0165	0.0002	0.0138	0.0002	0.0241	0.0533	0.0092	0.0172
<b>5.0%</b>	0.0106	0.0008	0.0017	0.0023	0.0170	0.0041	0.0144	0.0087	0.0245	0.0538	0.0093	0.0173
<b>7.5%</b>	0.0108	0.0009	0.0018	0.0024	0.0179	0.0042	0.0145	0.0088	0.0246	0.0550	0.0094	0.0174
<b>10.0%</b>	0.0114	0.0010	0.0019	0.0025	0.0180	0.0043	0.0146	0.0089	0.0247	0.0551	0.0095	0.0175
<b>12.5%</b>	0.0122	0.0011	0.0020	0.0026	0.0181	0.0044	0.0147	0.0090	0.0248	0.0558	0.0096	0.0176
<b>15.0%</b>	0.0123	0.0012	0.0026	0.0027	0.0182	0.0045	0.0148	0.0091	0.0255	0.0559	0.0097	0.0177
<b>17.5%</b>	0.0124	0.0013	0.0027	0.0028	0.0183	0.0046	0.0149	0.0092	0.0263	0.0560	0.0098	0.0178
<b>20.0%</b>	0.0126	0.0014	0.0028	0.0029	0.0184	0.0047	0.0150	0.0093	0.0264	0.0591	0.0099	0.0179
<b>22.5%</b>	0.0127	0.0015	0.0029	0.0030	0.0185	0.0060	0.0151	0.0100	0.0292	0.0592	0.0100	0.0180
<b>25.0%</b>	0.0151	0.0016	0.0030	0.0031	0.0186	0.0061	0.0152	0.0106	0.0293	0.0593	0.0101	0.0181
<b>27.5%</b>	0.0152	0.0017	0.0031	0.0032	0.0187	0.0069	0.0153	0.0107	0.0294	0.0594	0.0102	0.0182
<b>30.0%</b>	0.0153	0.0018	0.0032	0.0033	0.0188	0.0070	0.0154	0.0110	0.0295	0.0595	0.0108	0.0183
<b>32.5%</b>	0.0154	0.0019	0.0033	0.0034	0.0197	0.0080	0.0155	0.0135	0.0321	0.0596	0.0126	0.0184
<b>35.0%</b>	0.0155	0.0042	0.0034	0.0038	0.0199	0.0081	0.0156	0.0136	0.0329	0.0597	0.0129	0.0185
<b>37.5%</b>	0.0156	0.0043	0.0035	0.0039	0.0200	0.0082	0.0157	0.0137	0.0330	0.0598	0.0132	0.0186
<b>40.0%</b>	0.0160	0.0044	0.0036	0.0053	0.0201	0.0083	0.0158	0.0138	0.0331	0.0599	0.0134	0.0187
<b>42.5%</b>	0.0180	0.0045	0.0037	0.0054	0.0202	0.0084	0.0159	0.0148	0.0332	0.0600	0.0135	0.0188
<b>45.0%</b>	0.0187	0.0046	0.0038	0.0055	0.0203	0.0085	0.0160	0.0165	0.0333	0.0601	0.0139	0.0189
<b>47.5%</b>	0.0189	0.0047	0.0046	0.0056	0.0204	0.0086	0.0161	0.0173	0.0345	0.0602	0.0140	0.0190
<b>50.0%</b>	0.0190	0.0048	0.0049	0.0058	0.0205	0.0087	0.0162	0.0174	0.0352	0.0603	0.0141	0.0191
<b>Obligated Level (GWh/d)</b>	485.6	340.0	556.3	0	1407.15	350	420	699.68	950	1670.7	445.1	610.7

Pence/kWh/day

Hole House Farm		Hornsea		Partington		Avonmouth		Barton Stacey	
Obligated Level	0.0001	Obligated Level	0.0134	Obligated Level	0.0001	Obligated Level	0.0001	Obligated Level	0.0001
5.1%	0.0041	6.4%	0.0135	7.0%	0.0002	8.4%	0.0007	8.7%	0.0002
10.1%	0.0042	12.9%	0.0141	14.0%	0.0023	16.7%	0.0010	17.4%	0.0123
15.2%	0.0043	19.3%	0.0146	20.9%	0.0024	25.1%	0.0015	26.1%	0.0132
20.2%	0.0044	25.7%	0.0147	27.9%	0.0027	33.5%	0.0016	34.8%	0.0137
25.3%	0.0050	32.2%	0.0148	34.9%	0.0052	41.8%	0.0020	43.5%	0.0138
30.3%	0.0070	38.6%	0.0149	41.9%	0.0058	50.2%	0.0044	52.1%	0.0141
35.4%	0.0118	45.0%	0.0151	48.8%	0.0072				
40.5%	0.0119	51.5%	0.0152	55.8%	0.0073				
45.5%	0.0120								
50.6%	0.0121								
<b>Obligated Level (GWh/d)</b>	296.6		233.1		201.43		179.3		172.6

## Pence/kWh/day

	Burton Point	Caythorpe	Dynevor Arms	Glenmavis	Hatfield Moor	Wytch Farm
Obligated Level	0.0001	0.0129	0.0096	0.0125	0.0038	0.0001
10%	0.0006	0.0130	0.0097	0.0126	0.0039	0.0002
20%	0.0007	0.0131	0.0098	0.0158	0.0040	0.0003
30%	0.0008	0.0132	0.0099	0.0161	0.0041	0.0004
40%	0.0009	0.0133	0.0100	0.0162	0.0042	0.0005
50%	0.0010	0.0134	0.0101	0.0163	0.0043	0.0006
Obligated Level (GWh/d)	73.5	90	49	99	25.3	3.3

## Pence/kWh/day

New Entry Point	Murrow <sup>5</sup>
Obligated Level	0.0001
2.5%	0.0002
5.0%	0.0003
7.5%	0.0004
10.0%	0.0005
12.5%	0.0006
15.0%	0.0007
17.5%	0.0008
20.0%	0.0009
22.5%	0.0010
25.0%	0.0011
27.5%	0.0012
30.0%	0.0013
32.5%	0.0014
35.0%	0.0015
37.5%	0.0016
40.0%	0.0017
42.5%	0.0018
45.0%	0.0019
47.5%	0.0020
50.0%	0.0021
Obligated Level (GWh/d)	0.0

<sup>5</sup> Subject to Ofgem's Notice dated 12 December 2018, Murrow Entry Point will be effective in National Grid's Gas Transporter Licence from the 7 February 2019.

## Appendix E Estimated Project Values £m

	Bacton UKCS	Barrow	Cheshire	Canonbie	Easington & Rough	Fleetwood	Garton	Isle of Grain	Milford Haven	St Fergus	Teesside	Theddle thorpe
Obligated Level												
2.5%	4.49	0.03	0.54	1.01	20.50	0.03	5.11	0.06	20.25	78.96	3.60	9.33
5.0%	8.97	0.48	1.68	2.45	42.50	2.55	10.75	10.82	41.35	159.69	7.20	18.66
7.5%	13.98	0.73	2.52	3.68	67.13	3.82	16.12	16.22	62.03	244.88	10.79	27.99
10.0%	19.67	0.97	3.36	4.90	89.00	5.10	21.49	21.63	82.70	327.11	14.39	37.33
12.5%	26.31	1.66	4.20	6.40	112.50	6.37	26.86	27.04	103.38	414.08	17.99	46.66
15.0%	31.58	1.99	7.71	7.68	134.25	7.65	32.68	32.45	129.12	497.78	22.06	55.99
17.5%	36.84	2.33	8.99	8.95	156.63	8.92	38.13	37.85	155.37	580.75	25.74	65.32
20.0%	43.48	2.66	10.28	10.23	180.00	10.20	43.58	45.25	177.56	701.70	29.42	74.65
22.5%	48.92	2.99	11.56	12.47	204.75	16.79	49.03	55.94	221.78	789.42	33.09	83.98
25.0%	65.14	3.32	13.34	13.86	230.00	18.66	54.47	65.88	246.43	878.61	36.77	94.94
27.5%	71.65	3.66	14.68	15.24	254.38	23.60	59.92	72.47	271.07	968.11	40.45	104.43
30.0%	78.17	3.99	16.01	16.63	277.51	25.74	65.37	82.05	297.74	1056.12	51.24	114.58
32.5%	84.68	5.50	17.35	21.48	320.13	32.34	70.82	109.08	352.17	1144.13	64.77	124.13
35.0%	91.19	17.76	18.68	28.36	348.26	34.82	76.26	117.47	388.71	1232.14	71.41	133.67
37.5%	99.00	19.03	20.01	31.18	375.01	37.31	81.71	125.86	416.48	1320.15	78.29	144.04
40.0%	110.4	20.30	21.35	45.20	400.01	39.80	90.74	137.24	446.94	1408.16	84.77	153.64
42.5%	132.0	21.57	22.68	48.02	425.01	42.29	96.41	156.38	474.87	1501.21	90.07	163.24
45.0%	145.2	22.83	24.02	50.85	450.01	44.77	102.08	184.60	502.81	1589.52	98.93	172.84
47.5%	154.9	24.10	43.19	53.67	477.38	47.26	107.75	204.30	553.19	1677.83	104.42	190.69
50.0%	163.0	25.37	48.43	61.83	507.51	50.99	113.42	215.06	594.12	1766.13	109.92	206.15
<b>Obligated level (GWh/d)</b>	<b>485.6</b>	<b>340.0</b>	<b>556.3</b>	<b>0</b>	<b>1407.2</b>	<b>350.0</b>	<b>420.0</b>	<b>699.7</b>	<b>950.0</b>	<b>1670.7</b>	<b>445.1</b>	<b>610.7</b>

Hole House Farm		Hornsea		Partington		Avonmouth		Barton Stacey	
Obligated Level		Obligated Level		Obligated Level		Obligated Level		Obligated Level	
5.1%	2.19	6.4%	7.14	7.0%	0.053	8.37%	0.37	8.7%	0.05
10.1%	4.37	12.9%	15.03	14.0%	2.452	16.73%	1.07	17.4%	13.11
15.2%	6.56	19.3%	23.35	20.9%	3.678	25.10%	2.40	26.1%	21.11
20.2%	9.17	25.7%	31.13	27.9%	5.756	33.46%	3.20	34.8%	29.21
25.3%	13.33	32.2%	38.91	34.9%	13.858	41.83%	5.33	43.5%	36.51
30.3%	22.39	38.6%	46.69	41.9%	18.548	50.20%	14.07	52.1%	45.09
35.4%	44.03	45.0%	56.34	48.8%	26.863				
40.5%	50.32	51.5%	64.39	55.8%	30.701				
45.5%	56.61								
50.6%	63.43								
<b>Obligated Level (GWh/d)</b>	<b>296.6</b>		<b>233.1</b>		<b>201.43</b>		<b>179.3</b>		<b>172.6</b>

Obligated Level	Burton Point	Caythorpe	Dynevor Arms	Glenmavis	Hatfield Moor	Wytch Farm
10%	0.16	4.13	1.67	4.40	0.34	0.001
20%	0.31	8.25	3.34	11.12	0.68	0.002
30%	0.47	12.38	5.01	16.99	1.03	0.004
40%	0.63	16.50	6.69	22.66	1.37	0.005
50%	0.78	20.95	8.36	28.32	1.89	0.006
<b>Obligated Level (GWh/d)</b>	<b>73.5</b>	<b>90.0</b>	<b>49.0</b>	<b>99.0</b>	<b>25.3</b>	<b>3.3</b>

New Entry Point	Murrow <sup>6</sup>
<b>Obligated Level</b>	
2.5%	0.02
5.0%	0.04
7.5%	0.05
10.0%	0.07
12.5%	0.09
15.0%	0.11
17.5%	0.12
20.0%	0.14
22.5%	0.32
25.0%	0.36
27.5%	0.39
30.0%	0.43
32.5%	0.46
35.0%	0.50
37.5%	0.53
40.0%	1.99
42.5%	2.11
45.0%	2.24
47.5%	2.36
50.0%	2.49
<b>Obligated Level (GWh/d)</b>	0.0

<sup>6</sup> Subject to Ofgem's Notice dated 12 December 2018, Murrow Entry Point will be effective in National Grid's Gas Transporter Licence from the 7 February 2019.

## Appendix F IP Annual Yearly Capacity Reserve Prices

**Entry Capacity** reserve price for the Interconnection Point for the Annual Yearly auctions which will take place in July 2019 for capacity from 1 October 2019 to 30 September 2034 is given below. These prices are also applicable for the Annual Quarterly Capacity auction that takes place in August 2019 for Capacity from 1 October 2019 to 30 September 2020.

<b>ASEP</b>	<b>from 1 October 2019 Pence per kWh per day</b>
<b>Bacton IP</b>	<b>0.0095</b>

**Indicative Exit Capacity** reserve prices for the Interconnection Points for use in the Annual Yearly auctions which take place in July 19 for capacity from 1 October 2019 to 30 September 2034 are given below and are the indicative prices which were published in April 2018 for 2019/20. Final Exit Annual Quarterly Capacity reserve prices for Capacity from 1 October 2019 to 30 September 2020 will be published by 1 May 2019.

<b>Offtake Point</b>	<b>From 1 October 2019 Pence per kWh per day (indicative)</b>
<b>Bacton IUK</b>	<b>0.0019</b>
<b>Bacton BBL</b>	<b>0.0019</b>
<b>Moffat (Irish Interconnector)</b>	<b>0.0048</b>

For further information please contact

Karin Elmhirst

[Karin.elmhirst@nationalgrid.com](mailto:Karin.elmhirst@nationalgrid.com) 01926 655540 or

Dave Bayliss

[Dave.bayliss@nationalgrid.com](mailto:Dave.bayliss@nationalgrid.com) 01926 656853 or

email the charging team at

[Box.transmissioncapacityandcharging@nationalgrid.com](mailto:Box.transmissioncapacityandcharging@nationalgrid.com)

National Grid plc  
National Grid House,  
Warwick Technology Park,  
Gallows Hill, Warwick.  
CV34 6DA United Kingdom  
Registered in England and Wales  
No. 4031152

**[nationalgrid.com](http://nationalgrid.com)**